

FIRST E- REPORTING AND E-MONITORING INTERSESSIONAL WORKING GROUP MEETING (ERandEMWG1)

Novotel Hotel, Nadi, FIJI 8 – 10 July 2015

SUMMARY REPORT

AGENDA ITEM 1 — OPENING OF MEETING

1.1 Welcome

- 1. The WCPFC Compliance Manager called the meeting to order, and noted that the WCPFC Executive Director, Mr Feleti P. Teo OBE had delivered remarks related to the opening of this meeting during the IWG-ROP4 meeting (**Attachment 1**). The ERandEMWG Chair, Ms Kerry Smith, Secretariat staff and SPC-OFP staff providing support to this meeting were also introduced.
- 2. The Chair welcomed participants to the inaugural meeting of the ERandEMWG, and provided some opening remarks to guide the work of the working group. Key points were that:
 - i. There is a wealth of experience across the participants at ERandEMWG1, and that participants have come with a common purpose of contributing to improving the management of data and streamlining data flows from CCMs and their vessels to the Commission:
 - ii. The focus for ERandEMWG1 will be on development of draft electronic-reporting data standards;
 - iii. There is a separate decision by the Commission that is necessary to require CCMs to submit data electronically in a standardized format; and
 - iv. Development of draft standards for electronic reporting by the Commission is not an entirely new concept, for example the Commission has agreed standards for VMS and Record Fishing Vessels (RFV).
- 3. The following members, cooperating non-members and participating territories (CCMs) attended ERandEMWG1: Australia, Cook Islands, Federated States of Micronesia (FSM), Fiji, Japan, Republic of the Marshall Islands (RMI), Nauru, New Zealand, Papua New Guinea (PNG), Solomon Islands, Chinese Taipei, Tonga, Tuvalu United States of America (USA), and Vanuatu
- 4. Intergovernmental organisations the Agreement for the Conservation of Albatross and Petrels (ACAP), Pacific Islands Forum Fisheries Agency (FFA), the Parties to the Nauru

- Agreement (PNA) Office, and the Secretariat of the Pacific Community (SPC) attended EMandERWG1.
- 5. Observers representing International Seafood Sustainability Foundation (ISSF), PEW Charitable Trusts, University of the South Pacific (USP), and World Wildlife Fund (WWF) also attended ERandEMWG1.
- 6. A list of EMandERWG1 meeting participants is at **Attachment 2**.

1.2 Adoption of Agenda

7. The provisional agenda (WCPFC-2015- ERandEMWG1-02) as adopted is at **Attachment** 3.

AGENDA ITEM 2 — REVIEW OF INFORMATION / UPDATES ON APPLICATION OF ER AND EM TECHNOLOGIES IN WCPO

- 8. The Secretariat introduced WCPFC-2015- ERandEMWG1-03, which reviews the activities by WCPFC and the Secretariat on electronic-reporting and electronic monitoring during 2014/15, and the background to the establishment of the EMandERWG. It was noted that no nominations were received in response to WCPFC Circular 2015/23 that requested technical experts to join the Secretariat and representatives of the specified subregional agencies on the ER-sub working group. The Secretariat further explained that work on the documents in support of the meeting had been completed by the Secretariat and SPC-OFP. The Secretariat expressed its appreciation to Philippines and Chinese Taipei for their willingness to work collaboratively with the Secretariat in recent months, including on trial formats for HSP1SMA and VMS manual reporting in text (txt) or CSV formats (instead of pdf and in-body emails). The Terms of Reference for the ERandEMWG were introduced, noting that the working group reports to TCC and to SC as appropriate.
- 9. All members participants provided an update on their respective national and subregional initiatives in the areas of electronic reporting and electronic monitoring. SPC-OFP and PNA Office, as well as WWF and ISSF, also provided updates on their respective work in these areas.
- 10. The Chair summarized the key points from the various presentations as follows:
 - i. There are a number of different trials of electronic technologies that are being undertaken by members and through subregional agencies in the region. Members are at varying stages with respect to implementation;
 - ii. The ERandEMWG provides a valuable mechanism for WCPFC members and subregional agencies to share experiences and facilitate information exchange on lessons learnt and possibly provide opportunities for members to coordinate the development and implementation of electronic technology trials in the WCP region;
 - iii. The ERandEMWG noted that a variety of approaches were being used to incentivize or garner support from vessel operators for these technologies. Training was considered an important component for both vessel operators and national administrations;

- iv. Participants recognised that e-technologies collect data and information for both science and compliance purposes, and that there may be a need for further consideration of these aspects in the development of WCPFC standards and procedures going forward (timeliness, confidentiality, evidentiary status);
- v. It was noted that the characteristics of some fisheries was a factor to be considered with respect to implementation;
- vi. There is a need to consider SIDS administrative and technical needs in the further development of ER and EM in the region; and
- vii. The rate of technology change, including as seen by ER and EM technologies that are being implemented or trialled in the region, does support an "anything is possible" mentality.
- 11. The Chair briefly introduced WCPFC-TCC10-2014-16 and overviewed the international standards that are approaches for a range of different fisheries data. The use of international standard, where appropriate, would facilitate data sharing across RFMOs. It was noted that the proposed approach in that paper, was used as a basis for the work by the Secretariat and SPC-OFP in their development work on draft standards documentation for the ERandEMWG1 meeting.
- 12. The ERandEMWG acknowledged the substantial work being conducted in the region on ER and EM systems and encourages cooperation and the sharing of related information among CCMs, sub-regional organizations, and NGOs.
- 13. The ERandEMWG recognized that electronic reporting can enhance data accuracy, data entry efficiency, reducing reporting burden and avoiding duplication for vessel operators and national fisheries agencies, and therefore encourages CCMs and the Commission to develop policies and systems that allow e-reported information to satisfy data reporting requirements.
- 14. The ERandEMWG recognized that some CCMs support the development of ER systems that require a captain to be able to authenticate submitted data which can be used for enforcement purposes. The ERandEMWG encouraged CCMs that have already addressed ER issues for compliance applicability, to share information to support methods to authenticate ER submitted data.

15.

16. The Secretariat on behalf of the CDS-IWG Chair Mr Alois Kinol, confirmed that the next meeting of the CDS-IWG would take place in Pohnpei, FSM on 20-21 September 2015, immediately in advance of the TCC11 meeting. The agenda for that meeting was presently being worked on, but is hoped to include some reports and participation by experts who are developing international best practice standards for catch documentation schemes. It was noted that there were few intersessional responses to the circular seeking comments from CCMs. An understanding that FFA members had continued work to progress their draft proposal document, and this is expected to include linkages to electronic reporting and Information Management Systems development by those members to be proposed as a basis for the WCPFC Catch Documentation Scheme.


- 17. The FAD Management Options WG Chair, Mr Brian Kumasi, confirmed that work was currently underway and that advice would shortly be sent out to the working group on the next steps for the FAD Management Options WG intersessional work. He noted an expectation that there are clear linkages to e-reporting initiatives, in the areas of FAD monitoring and possibilities of FAD tracking and management options.
- 18. The IWG-ROP Chair, Mr Raymond Clarke, congratulated the many member participants who reported progress on trial implementations of electronic reporting technologies in their observer programmes, and encouraged continued work in this area. The IWG-ROP4 report does note specific links to electronic-reporting and noted these to be areas which could continue to be monitored by the IWG-ROP.
- 19. The ERandEMWG recognized that there are clear linkages to the ongoing work being conducted in various WCPFC intersessional working groups related to electronic reporting of information and recommended that the Secretariat facilitate participation and information sharing among working groups.


AGENDA ITEM 3 — DRAFT E-REPORTING STANDARDS

- 20. The Secretariat introduced WCPFC-2015- ERandEMWG1-04, noting that the draft consultation document used the RFV SSPs format as a basis for the layout. The consultation document was formulated to support discussions at the ERandEMWG1 on a process for development of draft electronic reporting standards. The consultation document for draft standards was provided to ERandEMWG participants in three parts:
 - i. WCPFC-2015-ERandEMWG1-04: Consultation document, including SSPs containing the following Attachments:
 - 1A: Electronic data standard to be used for paragraph 2 of CMM 2010-02 Conservation and Management Measure for the Eastern High Seas Pocket Special Management Area (or its replacement) (EHSPSMARPT)
 - 1B: Electronic data standard to be used for Attachment C paragraph 3 of CMM 2014-01 Conservation and Management Measure for Bigeye, Yellowfin and Skipjack tuna in the Western and Central Pacific Ocean (or its replacement) (HSP1MARPT)
 - 1C: Electronic data standard to be used for WCPFC9 decision on the Standard format for manual position reporting in the event of ALC/MTU Malfunction or Failure (WCPFC9 Summary Report Attachment H) (or its replacement) (VMSMNLRPT)
 - 2: Electronic Formatting Specifications for EHSPSMARPT, HSP1SMARPT and VMSMNLRPT
 - 4: Electronic Formatting Specifications for observer data and logbook data
 - ii. WCPFC-2015-ERandEMWG1-05: Attachment 3A: Electronic data standard to be used for WCPFC ROP Minimum Standard Data Fields, as amended by WCPFC11 decisions; and

- iii. WCPFC-2015-ERandEMWG1-06: Attachment 3B: Electronic data standard to be used for Paragraph 3 and Annex 1 of Scientific Data to be Provided to the Commission.
- 21. Noting the consultation document to be a collaborative work-product by the Secretariat and SPC-OFP, the Secretariat expressed its appreciation to colleagues at SPC for their considerable efforts in developing and documenting draft standards as contained in WCPFC-2015-ERandEMWG1-05 and WCPFC-2015-ERandEMWG1-06.
- 22. To assist meeting participants in visualizing the flow of data to the WCPFC Secretariat either directly from the vessel or via CCMs, the Secretariat described the current arrangements where some degree of human intervention is required and a possible future state whereby data submitted in accordance with the proposed data standards would be subject to no or minimal human intervention. (see Figure 1)

Figure 1. Illustrative Diagram of current arrangements of data flow to the Commission (top), and a possible future state where as a result of the development of electronic data standards a minimal degree of human intervention is required (below).





- 23. The ERandEMWG recognized that some CCMs already submit data to the Commission through a range of different electronic formats, and often via email. Participants also recognized that some required reporting such as manual position reporting in the event of ALC/MTU malfunction (VMS manual reports), and that some CCMs require their vessels to send these reports directly from the vessel to the WCPFC Secretariat.
- 24. SPC provided an overview of the draft WCPFC E-Reporting standard data fields for operational observer data (WCPFC-2015-ERandEMWG1-05) concentrating on the structure and objectives of the document. The main components of this document are (i) the introduction which outlines background, purpose and refers to complementary documentation to be used in conjunction with the data standards, (ii) a graphical description of the 'data model' of the operational observer data to be provided (ii) the individual distinct 'tables' (i.e.components) that make up the operational observer data to be provided covering longline and purse seine observer data and (iii) the APPENDICES, which include information on the data fields that need to adhere to international standards (e.g. date and position) and standard codes to be used for certain fields collected by observers.
- 25. The ERandEMWG noted that the draft standard for operational catch and effort data (WCPFC-2015-ERandEMWG1-06) follows the same structure.
- 26. The ERandEMWG encouraged CCMs to consider further evaluation of the draft data field standards for observer data and logsheet data to
 - i. (i) review and comment on the draft data standards document for logsheet and observer data, and
 - ii. (ii) attempt to produce sample data according to these draft data standards and submit the sample data to SPC with any comments on any issues encountered in the process.
- 27. The ERandEMWG noted that the US, NZ and Chinese Taipei offered to send in sample data using the draft data standards. No strict deadline for the submission of the sample data was suggested but at least one of these CCMs suggested it should be possible prior to TCC11.
- 28. SPC-OFP to introduced a selection of file formats that could be used for electronic data transmission (logbook and observer data): XML (preferred format), TEXT (delimited or not, txt), Comma-separated values (csv), EXCEL (xls). (Attachment 4)
- 29. In reference to Attachment 4 in the consultation document (WCPFC-2015-ERandEMWG1-04), some suggested language on file naming was also discussed, and agreed to be formatted with a unique name, featuring: the CCM submitting the data, the vessel details (RFV VID and departure date), the type of data (logsheet or observer), and a reference to the corresponding standard table. These suggestions were incorporated into the revised consultation document. The need to ensure security of data transmission (through encryption) was also suggested.
- 30. The ERandEMWG noted that the draft standards (SSPs) would benefit from some preamble language to set the context.

AGENDA ITEM 4 — STRATEGIES FOR E-REPORTING IN THE WCPO

- 31. Participants generally supported the approach proposed in WCPFC-2015-ERandEMWG1-04, noting that the consultative document and associated attachments provided a good basis for progressing the development of ER SSPs as it was consistent with current requirements relating to data fields and submission and reiterated that the adoption of standards was separate to a decision to require CCMs to report electronically. The ERandEMWG recognized that, in order to support a standardized approach to ER, the data required by current decisions of the Commission needed to be further described including technical specifications. The RFV SSPs are a good example and the attachments in WCPFC-2015-ERandEMWG1-04, build on the format used in the RFV SSPs.
- 32. Further discussion and clarification centred on:
 - i. Recognition of the need for further refinement of the SSPs and the possibility that the Commission may wish to empower the subworking group with making refinements relating to data validation rules and other small technical changes
 - ii. That there may be a preference to link the ER SSPs associated with specific CMMs to their respective CMM (eg as an appendix)
 - iii. Consistency in specifications for data fields and formats (eg file names)
 - iv. In some cases, additional data fields were necessary to support the implementation of ER
 - v. Opportunities to "test the specs" by cooperating with the Secretariat and SPC
 - vi. The need to involve staff responsible for reporting when reviewing specifications
 - vii. The need to consider submission of electronically reported data by vessels direct to the Secretariat in addition to reporting by CCMs direct to the Secretariat (eg HSP1 reporting, VMS manual reporting)
- 33. The EMandERWG tasked the sub-working group (referenced in ERandEMWG Terms of Reference workplan item 1) to:
 - i. develop and maintain a master list of electronic data standards to support the collection of Commission agreed data fields that includes but is not limited to data validation rules field formats and tags;
 - ii. recommend amendments to CMMs and certain decisions covered by these SSPs in relation to data fields that are reported electronically;
 - iii. undertake testing as appropriate, of data submission by CCMs working with the Secretariat or SPC using the master list of electronic data standards;
 - iv. review results of data submission by CCMs working with the Secretariat or SPC using the master list of electronic data standards; and
 - v. report to the ERandEM WG as required (including electronically).
- 34. The ERandEMWG agreed to recommend the draft SSPs to TCC11 for consideration, with the recognition that the SSPs could be further refined prior to WCPFC12. (Attachment 5)

- 35. The ERandEMWG recommended that TCC11 consider how the electronic reporting standards associated with specific CMMs are linked to their respective CMMs.
- 36. The ERandEMWG recommended that TCC11 discuss additional SSPs that may be useful (eg transhipment notification).
- 37. Participants noted that a unique vessel identifier was important in order to link events and relevant data to an individual vessel. The VID (which is number that is generated automatically by the RFV, see CMM 2014-03) was noted as presently providing the basis for linking records within WCPFC databases, and that this was the basis for its inclusion in the draft standards.
- 38. The ERandEMWG noted the VID was a minimum data field for the RFV (CMM 2014-03) and it provides a means to match reporting related to a specific vessel within WCPFC databases.

AGENDA ITEM 5 — STRATEGIES FOR E-MONITORING IN THE WCPO

- 39. The Chair opened this agenda item noting that electronic-monitoring would be an area of longer-term work for the ERandEMWG.
- 40. Key points noted in the discussions included:
 - i. A view that electronic monitoring should not replace human observers completely, but that they are expected to be complementary;
 - ii. Trials should continue to be undertaken, and members should continue to share experiences with other members;
 - iii. Further analysis should be undertaken of cost-benefits of electronic monitoring technologies, including on processes to review videos;
 - iv. There may be some scope for electronic monitoring technologies to be used in fisheries where there is a perceived higher risk to the safety of observers; and
 - v. Electronic monitoring could also be considered as an intermediary step until CCMs are able to implement higher levels of observer coverage, particularly in improving monitoring of fisheries impacts on species of special interest.
 - vi. Acknowledgement that EM could be beneficial for monitoring implementation of operational vessel aspects with respect to adopted CMMs (eg CMM 2012-07 on seabird mitigation measures).
- 41. The ERandEMWG encouraged the development of EM in areas where data gaps exist such as longline observer coverage and high seas transshipment.
- 42. The ERandEMWG recognized that EM systems can support and complement observer programs.

AGENDA ITEM 6 — GENERAL DISCUSSION AND NEXT STEPS

- 43. The ERandEMWG noted that the priority continued to be the development of standards to coordinate efforts of CCMs and the Secretariat in their efforts to take these technologies forward. The Chair noted that the steps taken in developing standards were positive. Further work was needed in areas such as training, confidentiality, technical capacity. The Chair also noted that we had a joint responsibility to reflect on the work of the ERandEMWG when drafting or revising CMMs.
- 44. Participants requested that a copy of SPC's presentation on eTUNALOG be included in the attachments to the record (**Attachment 6**).
- 45. The Chair congratulated the participants on their considerable work over the last two and a half days. She commented that at its inaugural meeting the ERandEMWG has made good progress on its priority task to develop draft electronic reporting standards. The draft proposed standards have been developed taking into account the different stages of implementation of electronic reporting amongst members, and is intended provide a basis for CCMs and the Secretariats preparations and enhancing technical capacities. Importantly the draft standards is intended to be a founding document, which can be expanded to include additional types of CMM reporting. She also noted that it will be incumbent on the members of the ERandEMWG to consider our work when considering revisions to existing CMMs or development of new CMMs.
- 46. Eric Kingma expressed on behalf of the participants thanks to the Chair for her leadership of the ERandEMWG. He also thanked the Secretariat and SPC-OFP for their considerable work in developing the draft standards document that were the basis of the discussions and in their support to the meetings.
- 47. Warren Papworth expressed thanks on behalf of ACAP for the dedication and hard work by the ERandEMWG at this meeting. He noted the work by the ERandEMWG as being important to the development of a sustainable fishery in the Western and Central Pacific.
- 48. The Chair closed the meeting at 12.45pm on Friday 10 July 2015.

WCPFC Executive Director; Mr Feleti Teo Statement at the Opening of the Meetings of the Intersessional Working Groups on the Regional Observer Programme and the Electronic Reporting and Monitoring

[At Nadi, Fiji on 6th July, 2015]

Colleagues, ladies and gentlemen. I appreciate and am grateful for the opportunity to make some remarks at this opening session of the meetings of the two inter-sessional working groups of the WCPFC taking place this week here in Nadi, Fiji Islands.

So let me firstly extend to you all participants a very warm welcome and a big nisa bula vianka to Nadi, Fiji Islands. But before I proceed with my remarks, let me acknowledge some people present in the room who have been instrumental in putting together the arrangements and materials for the two meetings.

In that regard, I acknowledge the Chair-persons of the two working groups. Mr Ray Clarke of the USA who is the chair for the IWG on the Regional Observer Programme (ROP); and Ms Kerry Smith of Australia who is the Chair for the IWG on Electronic Reporting and Electronic Monitoring (ERandEM). Thank you both for your enormous input and guidance to the development of the meeting agenda and the meeting documentation.

As participants will recall there were two other IWGs that were tasked by the Commission to undertake specific tasks. One on FAD Managements Options and the other on a Catch Documentation Scheme. We do have with us this week Mr Brian Kumasi of PNG who is the chair of the FAD Management Options working group, and I wish to acknowledge him personally as well. We were also hoping to have with us this week the Chair of the Catch Documentation Scheme working group, Mr Alois Kinol also of PNG who due to other competing commitments he is unable to be with us this week.

Ladies and gentlemen. I had wanted to specifically acknowledge the Chair-persons of these IWGs because these officials have their own full time jobs, and because of these roles entrusted on them they have to put in extra efforts at no costs to the Commission but to the enormous benefits of all members of the Commission. So I commend and applaud all their efforts and the cooperative and collaborative manners in which they have worked with the Secretariat.

I also acknowledge representatives of all CCMs present here this week, in particular to those that provided feedback and input to the agenda and meeting material for the two meetings this week.

I also acknowledge representatives of Observers, in particular those that have taken a keen and active interest in the work of these IWGs, I thank you also for your input.

I also acknowledge colleagues from our partner organisations, from FFA, SPC and USP.

Last but not least, I acknowledge my own staff at the Secretariat.

As most of you know I am still relatively fresh at the Secretariat and I am most grateful for the technical guidance I receive from staff in our compliance division. We have with us here this week, Dr Lara Manarangi-Trott; the Compliance Manager; Mr Karl Staisch; Manager of the ROP; and Mr Donald David, Data Quality officer for ROP.

These meetings this week are in fact the first set of meetings of the Commission after I took office as your Executive Director in March of this year. And I made every efforts to be here for the start of what will be an interesting week as we collectively seek to improve the performance and operation of the ROP and to

develop a new compliance tool for the Commission in the form of an electronic reporting and monitoring scheme.

So during the course of this week, we expect a mixture in the discussions of an existing compliance tool in the ROP and the discussion taking forward the aspiration to institute an electronic reporting and monitoring scheme for the Commission.

The first two and a half days, will involve discussions that will review and reflect on experiences from the implementation of the ROP over the last seven years. As you all know, the observer coverage in the tropical purse seine fishery has been at 100% for almost five years. The early years of implementing 100% observer coverage wasn't without its challenges for many of the national and sub-regional observer programmes as they strove to ensure supply of qualified and well trained observers to the ROP. In more recent times, there are now the requirement for 100% observer monitoring on the carriers receiving high seas transshipments, and the requirement for a minimum of 5% observer coverage in longline fisheries which has been in place for almost two years.

The IWG-ROP, under the chairmanship of Ray Clarke, is to review the operation and performance of the ROP and to seek to address the specific technical and operational issues identified and directed by the Commission in its meeting in Apia, Samoa last year. The underlying objective of the work of this IWG is to recommend improvements to the ROP and to promote a more consistent and more common understanding of the application of the ROP.

The second half of the week, is expected to focus on some preparatory work on a new and growing area of interest for the Commission. This is in the exciting area of utilizing existing electronic technologies in meeting reporting and monitoring responsibilities as Commission members. The preparatory work will, obviously need to take into account the efforts of many members of the Commission who have already commenced implementation of new electronic technologies to better support their fisheries monitoring, management and compliance and enforcement activities. In particular, the specific preparatory task that will be considered by the second IWG this week is the development of draft electronic reporting standards. It is also expected that a workplan for future work may be recommended, which among others will propose a schedule for the development of draft e-monitoring standards. The more immediate intention is to ensure that the Secretariat will have the capacity to receive a range of data and reports as required by CMMs and other decisions, which will be based on data collected through a members chosen national and / or sub-regional electronic technologies. The development of such standards and specifications, will be the task for the Electronic Reporting and Electronic Monitoring Inter-sessional Working Group to be chaired of Ms Kerry Smith. The ultimate objective of the work of this working group will be that, at some point in the future key, Commission members will be in a position to utilize these electronic technologies to meet their fisheries data reporting obligations.

So it will be a full work schedule for participants this week. I know most of you will be participating in both meetings. We have structured the agenda and meeting proceedings to keep them less formal and more interactive to facilitate free flowing discussions and participation.

Without taking up much more of your time I wish all of you successful deliberations.

And I wish Ray and Kerry well in presiding over you deliberations.

Thank you

END



FIRST E- REPORTING AND E-MONITORING WORKING GROUP MEETING

(ERandEMWG1)

Novotel Hotel, Nadi, FIJI 8 – 10 July 2015

List of Participants

CHAIR

Kerry Smith

Senior Manager, Foreign Compliance Australian Fisheries Management Authority 73 Northbourne Avenue Canberra ACT 2601 +61 2 6225 5334 kerry.smith@afma.gov.au

AUSTRALIA

Laura McGrath

Senior Policy Officer, Foreign Compliance Australian Fisheries Management Authority 73 Northbourne Avenue Canberra ACT 2601 +61 2 6225 5302 laura.mcgrath@afma.gov.au

COOK ISLANDS

Latishia Maui

VMS Analyst
Ministry of Marine Resources
PO BOX 85, Avarua, Rarotonga
+682 28721
L.Maui@mmr.gov.ck

Taulauniu Isaiah Hunkin

CIFFO Manager/ ERO Pago Pago PO BOX 998431 Fagatogo Sq. Room #206 PagoPago,Am.Samoa 96799 (684)258-3767 isaiah.hunkin@live.com

FEDERATED STATES OF MICRONESIA

Naiten Bradley Phillip Jr.

Chief Researcher National Oceanic Resource Management Authority P.O Box PS122, Pohnpei 96941 691 320-2700 bradley.phillip@norma.fm

FIJI

Leba Dranivesi

Fisheries Officer
Ministry for Fisheries and Forest,
Department of Fisheries, Offshore
Fisheries Division
Takayawa Towers, Level G, CNR OF
AUGUSTUS AND TOORAK ROAD
Dranivesi.leba@gmail.com

Alitia Cirikiyasawa Bainivalu

Fisheries Officer
Ministry for Fisheries and Forest,
Department of Fisheries, Offshore
Fisheries Division
Takayawa Towers, Level G, CNR OF
AUGUSTUS AND TOORAK ROAD
bainivalu.alitia@gmail.com

JAPAN

Yujro Akatsuka

Fisheries Agency of JAPAN 1-2-1, Kasumigaseki, Chiyoda-ku, Tokyo, Japan 81-3-3502-8459 yuujirou akatsuka@nm.maff.go.jp

Toru Kitamura

Japan Observer Program tkitamura@janus.co.jp

AkihikoYatsuzaka

Japan Observer Program yatsuzuka@ofcf.or.jp

Naohisa Kanda

Japan Observer kanda-n@janus.co.jp

REPUBLIC OF MARSHALL ISLANDS

Bernard Fiubala
Observer Program Adviser /
Coordinator
Marshall Island Marine Resource
Authority
P.O. Box 860 Majuro Marshall Islands
96960
(692) 625-8262
bernardfiubala249@gmail.com

REPUBLIC OF NAURU

Monte Depaune

Coastal Fisheries Manager Nauru Fisheries and Marine Resources Buada District, Nauru (674)5573136 monstartuna@gmail.com

NEW ZEALAND

Andrew Wright

Senior Advisor - Fisheries Compliance The Ministry for Primary Industries 25 The Terrace, Wellington, New Zealand 0064 4 8194757 andrew.wright@mpi.govt.nz

PAPUA NEW GUINEA

Philip Lens

Manager Observer Programme National Fisheries Authority P o box 2016, Port Moresby, NCD +675 3201950 philiplens70@gmail.com

Brian Kumasi

Manager Offshore Fisheries National Fisheries Authority P o box 2016, Port Moresby, NCD +675 3201950 bkumasi@fisheries.gov.pg

SOLOMON ISLANDS

Derick Suimae

Observers Coordinator
Ministry of Fisheries and Marine
Resources
P.O. Box G2
Honiara, Solomon Islands
Ph: (677)39152
dsuimae@fisheries.gov.sb

Gizelle Castaneda

Technical Responsible WCPO SATLINK +6777834259 gsc@satlink.es

CHINESE TAIPEI

Chi-Chao Liu

Section Chief Fisheries Agency 6F., No.100, Sec. 2, Heping W. Rd., Zhongzheng Dist., Taipei City 100, Taiwan (R.O.C.) 886-2-2383-5882 chichao@ms1.fa.gov.tw

Joseph Chia-Chi Fu

Secretary
Overseas Fisheries Development
Council
joseph@ofdc.org.tw

TONGA

Losaline Lotoahea

Fisheries Officer Fisheries Department Nuku'alofa, Tonga (676) 8711238 losalinelotoahea@gmail.com

Matin Finau

Fisheries Officer Fisheries Department Nuku'alofa, Tonga (676) 8732353 finau.martin@gmail.com

TUVALU

Solomua Ionatana

Principal Fisheries Officer Tuvalu Fisheries Department Vaiaku, Funafuti, Tuvalu 688 20814 tualen@gmail.com

Penihulo Lopati

MCS Officer Tuvalu Fisheries Department Vaiaku, Funafuti, Tuvalu 688 20814 penihulo@gmail.com

UNITED STATES OF AMERICA

Eric Kingma

Intl. Fisheries, Enforcement, NEPA Coordinator Western Pacific Fishery Management Council 1164 Bishop St. Ste 1400 808 522 8220 eric.kingma@noaa.gov

Raymond P. Clarke

Supervisory Fishery Biologist National Marine Fisheries Service, Pacific 1845 Wasp Blvd., Bldg 176, Honolulu, HI 96818 808-725-5031 raymond.clarke@noaa.gov

Michael D. Tosatto

Regional Administrator National Marine Fisheries Service, Pacific 1845 Wasp Blvd., Bldg 176, Honolulu, HI 96818 808-725-5001 michael.tosatto@noaa.gov

John Kellv

Observer Program Manager NOAA 1845 Wasp Blvd., Building 176, Honolulu, HI. 808-725-5100 john.d.kelly@noaa.gov

Keith Bigelow

Supervisory Research Fisheries Biologist NOAA Fisheries 1845 Wasp Blvd., Building 176, Honolulu, HI. (808) 725-5388 keith.bigelow@noaa.gov

Dorothy Lowman

US Commissioner Lowman and Associates 6507 SW Barnes Road Portland OR 1-503-804-4234 dmlowman01@comcast.net

VANUATU

Guan Oon

TECHNICAL ADVISOR VU Flag State VMS PO BOX 42, South Yarra, VICTORIA 3141 61 418 368 917 GUAN@CLSARGOS.COM.AU

INTER-GOVERNMENTAL ORGANISATION OBSERVERS

AGREEMENT ON THE CONSERVATION OF ALBATROSSES AND PETRELS

Warren Papworth

Executive Secretary
27 Salamanca Square
Battery Point 7004 Tasmania
Australia
Agreement on the Conservation of
Albatrosses and Petrels
+61 439 323 505
warren.papworth@acap.aq

PACIFIC ISLANDS FORUM FISHERIES AGENCY (FFA)

Pacific Islands Forum Fisheries Agency PO Box 629 Honiara, Solomon Is. +67721124

Pamela Maru

Fisheries Management Adviser pamela.maru@ffa.int

Ken Katafono

IT Manager Ken.katafono@ffa.int

Apolosi Turaganivalu

Apolosi.turaganivalu@ffa.int

PARTIES TO THE NAURU AGREEMENT (PNA)

PNA Office P O Box 3992, Majuro, MH 96960 +6926257626

Herman Kisokau

VDS/VMS Data Officer/PNA MSC CoC Coordinator herman@pnatuna.com

OTHER OBSERVER ORGANISATIONS

INTERNATIONAL SEAFOOD SUSTAINABILITY FOUNDATION (ISSF)

Claire van der Geest

Strategic Policy Advisor ISSF cvandergeest@iss-foundation.org

THE PEW CHARITABLE TRUSTS

Henry Scott DeBey Senior Associate Global Tuna Conservation 901 E Street NW The Pew Charitable Trusts 2025406347 The Pew Charitable Trusts hdebey@pewtrusts.org

WORLD WIDE FUND FOR NATURE (WWF)

Alfred "Bubba" Cook

WWF WCP Tuna Programme Manager WWF PO Box 6237, Marion Square, Wellington, NZ +64278330537 acook@wwf.panda.org

UNIVERSITY OF SOUTH PACIFIC

David Mapuru

PhD Candidate University of the South Pacific Suva, Fiji (679) 7280147 davidmapuru@gmail.com

WCPFC SECRETARIAT

Commission for the Conservation and Management of Highly Migratory Fish Stocks in the Western and Central Pacific Ocean (WCPFC) Kaselehlie Street, P.O. Box 2356 Kolonia, Pohnpei FM 96941 691-320-1992/1993

Lara Manarangi-Trott

Compliance Manager lara.manarangi-trott@wcpfc.int

Karl Staisch

Regional Observer Programme Coordinator karl.staisch@wcpfc.int

Donald David

Data Quality Officer Donald.david@wcpfc.int

SECRETARIAT OF THE PACIFIC COMMUNITY (SPC)

SPC

B.P. D5, Noumea, New Caledonia

Peter Williams

Principal Fisheries Scientist (Data Mgmt)
peterw@spc.int

Emmanuel Schieter

Fisheries Data Manager emmanuels@spc.int

Malo Hosken

Regional E-reporting officer maloh@spc.int

Timothy Park

Observer Programme Advisor timothyp@spc.int



FIRST E- REPORTING AND E-MONITORING WORKING GROUP MEETING

(ERandEMWG1)

Novotel Hotel, Nadi, FIJI 8 – 10 July 2015

AGENDA

Wednesday 8th July 2015 (Day 1 - afternoon session only)

•	o day 2012 (Day 1 arter noon session only)	Doc list
	AGENDA ITEM 1. WELCOME AND OPENING	
	1.1 Opening	
2.00-2.30pm	1.2 Adoption of agenda	
	1.3 Meeting arrangements	
2.20 2.00	AGENDA ITEM 2. REVIEW OF INFORMATION / UPDATES ON APPLICATIONS OF ER AND EM TECHNOLOGIES IN WCPO	
2.30 – 3.00pm	2.1 Report from Secretariat, including review of 2014/15 WCPFC activities and introduce ERandEMWG TOR	3
	2.2 Reports from CCMs	
3.00 – 4.15pm	2.3 Reports from Subregional Agencies	
	2.4 Reports from Chairs of other WCPFC IWGs	
4.15 -4.30pm	Afternoon tea	
	2.5 Brief introduction to international fisheries standards	TCC10/16
4.30 – 5.30pm	AGENDA ITEM 3. DRAFT E-REPORTING STANDARDS	
	3.1 Brief introduction/overview of draft ER standards document and approach - Secretariat	4, 5, 6

Thursday 9th July 2015 (Day 2)

8.30 – 9.00am	Recap from Day 1	
9.00-10.30am	AGENDA ITEM 3. DRAFT E-REPORTING STANDARDS	
9.00-10.50am	3.2 Detailed review of draft ER standards document (continued)	
10.30 – 11am	Morning tea	
11-12.30pm	3.2 Detailed review of draft ER standards document (continued)	
12.30 -1.30pm	Lunch	
1.30-3.00pm	3.2 Detailed review of draft ER standards document (continued)	
3.00 -3.30pm	Afternoon tea	
3.30 – 5.30pm	3.2 Detailed review of draft ER standards document (continued)	



FIRST E- REPORTING AND E-MONITORING WORKING GROUP MEETING (ERandEMWG1)

Novotel Hotel, Nadi, FIJI 8 – 10 July 2015

PROVISIONAL AGENDA AND INDICATIVE SCHEDULE

Friday 10^{th} July 2015 (Day 3)

8.30 – 9.00am	Recap from Day 2	
9.00-10.30am	AGENDA ITEM 4. STRATEGIES FOR E-REPORTING IN WCPO 4.1 Next steps for development of draft E-Reporting standards, 4.2 Discuss possible prioritization and timelines for implementation of E-reporting in WCPO, and likely resource implications	
10.30 – 11am	Morning tea	
11-12.30pm	AGENDA ITEM 5. STRATEGIES FOR E-MONITORING IN THE WCPO 5.1 Next steps for development of draft E-Monitoring standards	
12.30 -1.30pm	Lunch	
1.30-3.00pm	AGENDA ITEM 6. GENERAL DISCUSSION AND NEXT STEPS 6.1 Outcomes – Next steps and report to TCC11/WCPFC12 6.2 Notes on linkages to other IWGs and work of other subsidiary bodies	
3.00 -3.30pm	Afternoon tea	
3.30 – 5.30pm	AGENDA ITEM 7. OTHER MATTERS	
	AGENDA ITEM 8. CLOSE	

Initial proposals for E-Reporting submissions FILE FORMATS

Example - Table of ER data standards

1.6 PS SET LEVEL DATA

PS_SET						
FIELD	Data Collection Instructions	Field format	PROVIDE information for each FISHING SET Validation rules	NAP	XML TAG	WCDP
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>	
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY Or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY		Link to ACTIVITY (SET)		<activity id=""></activity>	
START DATE/TIME OF SET	PROVIDE the start time of the set which is defined at the time the SKIFF is launched.	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE The chronology of SRT START TIME with respect to other dates/times for the trip must be valid.	TR	<setstart></setstart>	Y
END DATE/TIME OF SET	PROVIDE the end time of the set which is defined as the time when the "RINGS UP" ON DECK.	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE The chromology of GRT END TIME with respect to other dates/times for the trip must be valid.	ET	«SETEND»	Y
SCHOOL ASSOCIATION	PROVIDE the School Associated Code	REFER TO APPENDIX A6	The code must be within the valid range.	SA	<\$CHOOL>	Y
SCHOOL ASSOCIATION NOTE	PROVIDE information of the SCHOOL ASSOCIATION in cases where the school association is not covered in the list of School association codes 1. To 7.	VARCHAR (30)	Used only when the SCHOOL ASSOCIATION = 8	SA	<pre><pre><pre><pre>SCH_NOTE></pre></pre></pre></pre>	Y

Initial proposals for E-Reporting submissions FILE FORMATS

FIVE (5) STANDARD FILE FORMATS proposed

- 1. XML format
- 2. TXT file COMMA delimited
- 3. TXT file TAB delimited
- 4. TXT file No delimiters
- 5. XLS format

Initial proposals for E-Reporting submissions – File formats

1. XML format

- PROS: Recognised means of providing data in a structured manner, RDBMS tools readily available to import these data
- CONS: potentially complex to generate may need DB tech skills, larger files sizes that other formats, ...

Initial proposals for E-Reporting submissions – File formats

2. TXT file (COMMA Separated Values – CSV file)

- PROS : Standard format already used by some countries to provide data
- CONS : Problems when fields values include commas !
- Requirement : remove COMMAs from all fields

VESSEL_ID,DEP_DATE,ACTIVITY_ID,SetStart,SetEnd,SCHOOL,SCH_NOTE 33456,2014-02-14,3,2014-02-16T09:32Z,2014-02-14T09:32Z, 33456,2014-02-14,2,2014-02-17T09:32Z,2014-02-14T09:32Z, 33456,2014-02-14,1,2014-02-18T09:32Z,2014-02-14T09:32Z,4,

Initial proposals for E-Reporting submissions – File formats

3. TXT file (TAB delimited)

- PROS : Standard format already used by some countries to provide data
- CONS : Problems when fields include TABS !
- > Requirement : remove TABS from all fields

```
        VESSEL_ID DEP_DATE ACTIVITY_ID
        SetStart
        SetEnd
        SCHOOL
        SCH_NOTE

        33456
        2014-02-14
        3
        2014-02-16709:32Z
        2014-02-14T09:32Z

        33456
        2014-02-14
        2
        2014-02-17T09:32Z
        2014-02-14T09:32Z

        33456
        2014-02-14
        1
        2014-02-18T09:32Z
        2014-02-14T09:32Z
        4
```

Initial proposals for E-Reporting submissions – File formats

4. TXT file (no delimiters)

- PROS: No need to strip out commas/tabs, efficient file size, some CCMs are already providing data in this format (not new process)
- CONS: issues if the data format is not strictly adhered to

Initial proposals for E-Reporting submissions – File formats

5. XLS file (EXCEL)

- PROS: can easily be imported into database since fields are well defined
- CONS:-

	А	В	С	D	Е	F	G	
1	VESSEL_ID	DEP_DATE	ACTIVITY_	SetStart	SetEnd	SCHOOL	SCH_NOT	E
2	33456	2014-02-14T09:32Z	3	2014-02-16T09:32Z	2014-02-14T09:32Z			
3	33456	2014-02-14T09:32Z	2	2014-02-17T09:32Z	2014-02-14T09:32Z			
4	33456	2014-02-14T09:32Z	1	2014-02-18T09:32Z	2014-02-14T09:32Z	4		
5								

Initial proposals for E-Reporting submissions – File naming

XX_ DDD_ VID_DEPDATE_<Table_Name>.EXT

- XX two letter ISO country code of the CCM providing the file
- **DDD** type of report (LOG logbook e-data and OBS Observers e-data)
- VID five digit integer assigned number for a vessels record on the WCPFC Record of Fishing Vessels (RFV)
- **DEPDATE** Departure date of the Vessel trip (format YYYYMMDD)
- <Table_Name> Respective (subset data) table name within this data type
- EXT the standard file extension (according to chosen format)

Example: FM_OBS_35641_20140214_PS_CATCH.CSV

Represents a comma-delimited file provided by FSM for an observer trip onboard the vessel identified with WCPFC RFV id as '35641' with a departure date of 14/03/2014; This file is the subset data for this trip corresponding to the PS_CATCH Table in the ER Observer data standards document Initial proposals for E-Reporting submissions – Other Considerations

Data Compression (efficiency)

Data confidentiality issues

• Data encryption/decryption

Data transmission

- Secure FTP
- Email?
- Cloud-hosted, third-party secure transmission tools...

CONSULTATION DOCUMENT_as amended by ERandEMWG1

DRAFT - STANDARDS, SPECIFICATIONS AND PROCEDURES (SSP) FOR ELECTRONIC REPORTING IN THE WESTERN AND CENTRAL PACIFIC FISHERIES COMMISSION

Objectives for the SSP

- 1. These SSP are a set of data standards that, at a minimum:
 - a. provide a basis for those CCMs who are considering the implementation of electronic reporting technologies in their fisheries;
 - b. provides a mechanism, for those CCMs who have commenced implementation of electronic reporting technologies in their fisheries, to have the option of using these technologies to facilitate their implementation of certain reporting requirements to the Commission;
 - c. provides a basis for the Secretariats preparations to be ready to receive a standardized set of electronically reported fisheries data from CCMs and as appropriate from vessels;
 - d. takes into account current and developing fisheries monitoring and information management systems in use in WCPFC fisheries; and
 - e. where practicable, is mindful of existing and proposed data standards and formats in other regional bodies and RFMOs.

Scope of application

- 2. These SSPs apply initially to the following reporting requirements under these conservation and management measures or decisions of the WCPFC:
 - a. Paragraph 2 of CMM 2010-02 Conservation and Management Measure for the Eastern High Seas Pocket Special Management Area;
 - b. Attachment C paragraph 3 of CMM 2014-01 Conservation and Management Measure for Bigeye, Yellowfin and Skipjack tuna in the Western and Central Pacific Ocean;
 - c. WCPFC9 decision on the *Standard format for manual position reporting in the* event of *ALC/MTU Malfunction or Failure* (WCPFC9 Summary Report Attachment H); and
 - d. Paragraph 3 and Annex 1 of Scientific Data to be Provided to the Commission;
 - e. WCPFC ROP Minimum Standard Data Fields, as amended by WCPFC11 decisions.

- 3. Until decided otherwise by the Commission, other forms of electronically reported data, and as appropriate hard copy formats, will continue to be acceptable forms of reporting from CCMs, and as appropriate from their vessels, to meet agreed reporting requirements under the above listed conservation and management measures or decisions of the WCPFC.
- 4. These SSP, including any agreed amendments, will take effect [six] months after adoption by the WCPFC.

Responsibilities of CCMs

- 5. It shall be the responsibility of CCMs who choose to use electronic reporting technologies to meet certain WCPFC reporting requirements to:
 - a. submit electronically reported data to the WCPFC Secretariat¹ that includes the minimum required fields and also meets the structure and format specifications of Attachment 1A, 1B, 1C, 3A and 3B as appropriate; and
 - b. submit electronically reported data to the WCPFC Secretariat that meet the electronic format specifications of Attachment 2 and 4, as appropriate.²
- 6. It shall be the responsibility of CCMs to inform the WCPFC Secretariat of any confidentiality requirements that may need to be taken into account upon receipt of such data.

Responsibilities of the WCPFC Secretariat

7. It shall be the responsibility of the WCPFC Secretariat to:

- a. develop and maintain the technical and administrative systems that ensure data confidentiality³ needed to receive electronically reported data from CCMs, which may be submitted and that meet the electronic format specifications of Attachment 2 and 4;
- b. acknowledge, upon receipt of electronically reported data from a CCM or as appropriate from a vessel, receipt of the data and indicate to the CCM and as appropriate to the vessel, in a timely manner whether the data meet the minimum

¹ It is recognized that some CCMs, who are SPC members, submit data described in Attachment 3A and 3B to WCPFC via SPC-OFP

² The Commission may consider additional modes of transmission, such as modes involving direct links between the Commission's and CCMs' databases.

³ In accordance with applicable data confidentiality rules, including Rules and Procedures for the Protection, Access to, and Dissemination of Data Compiled by the Commission (2007 and 2009)

CONSULTATION DOCUMENT: DRAFT – SSPs FOR ELECTRONIC REPORTING IN THE WCPFC_as amended by ERandEMWG1

- data requirements and, if applicable, whether they meet the electronic formatting specifications of Attachment 2 and 4;
- c. monitor and report annually to the TCC, and as appropriate the SC, on the performance of these electronic reporting standards and their application and, as necessary, make recommendations for improvements or modifications;
- d. recommend continual improvements to these SSPs, including, where appropriate, standards and codes that are consistent with those used in other international fora, such as the FAO and UN/CEFACT; and
- e. ensure the electronic data standards are publically available and is suitably version controlled.

Attachment 1A. Electronic data standard to be used for paragraph 2 of CMM 2010-02 Conservation and Management Measure for the Eastern High Seas Pocket Special Management Area (or its replacement) (EHSPSMARPT)

EHSP-SMA reporting

2. Flag States shall require their vessels to submit reports, directly, or through such organisations designated by the flag state to the Commission at least 6 hours prior to entry and no later than 6 hours prior to exiting the E-HSP. Such reports shall also contain estimated catch (kilograms) on board. This information shall immediately be transmitted by the Commission Secretariat to the adjacent coastal states/territories, and shall be considered non-public domain data. The report shall be in the following format:

VID/Entry/Exit: Date/Time¹; Lat/Long¹; YFT/BET/ALB/SKJ/SWO/SHK/OTH/TOT(kgs) /TRANSHIPMENT (Y/N) ²

¹ Of anticipated point of entry or exit.

² WCPFC11 agreed to amend CMM 2010-02 paragraph 2 to add vessel name to reporting requirements

Field name	Field format	Field description/instructions	Example	Ref. in CMMs
VID	Number (integer)	This number is generated automatically by the WCPFC Record of Fishing Vessels (RFV), and is now a field that in accordance with CMM 2014-03 is displayed, for all vessels on the WCPFC RFV.	10503	2010-02: 02 2014-03
Entry/Exit	Text	Enter "ENTRY" for reports prior to entry to Eastern High Seas Pocket Special Management Area. Enter "EXIT" for reports made prior to exiting the Eastern High Seas Pocket Special Management Area	ENTRY	2010-02: 02
Date/Time	Number (integer)	Of anticipated point of entry or exit, in UTC and 24 hour format (ISO 8601) [YYYY]-[MM]-[DD]T[HH]:[MM]Z	2014-01-24T23:00Z	2010-02: 02
Latitude	Number (integer)	Positions to degrees and minutes to 3 decimal places (ISO 6709) +/- DDMM.MMM	- 14.166 (for 14-10-00 S)	2010-02: 02
Longtitude	Number (integer)	Positions to degrees and minutes to 3 decimal places (ISO 6709) +/- DDDMM.MMM	- 157.45 (for 157-27-00 W)	2010-02: 02
Yellowfin	Number (integer)	Provide total weight (kg) of YELLOWFIN onboard. Enter "0" if NONE	23	2010-02: 02
Bigeye	Number (integer)	Provide total weight (kg) of BIGEYE onboard. Enter "0" if NONE	16	2010-02: 02
Albacore	Number (integer)	Provide total weight (kg) of ALBACORE onboard. Enter "0" if NONE	0	2010-02: 02

EHSP-SMA reporting

2. Flag States shall require their vessels to submit reports, directly, or through such organisations designated by the flag state to the Commission at least 6 hours prior to entry and no later than 6 hours prior to exiting the E-HSP. Such reports shall also contain estimated catch (kilograms) on board. This information shall immediately be transmitted by the Commission Secretariat to the adjacent coastal states/territories, and shall be considered non-public domain data. The report shall be in the following format:

VID/Entry/Exit: Date/Time¹; Lat/Long¹; YFT/BET/ALB/SKJ/SWO/SHK/OTH/TOT(kgs) /TRANSHIPMENT (Y/N) ²
¹ Of anticipated point of entry or exit.

² WCPFC11 agreed to amend CMM 2010-02 paragraph 2 to add vessel name to reporting requirements

Field name	Field format	Field description/instructions	Example	Ref. in CMMs
Skipjack	Number (integer)	Provide total weight (kg) of SKIPJACK onboard. Enter "0" if NONE	0	2010-02: 02
Swordfish	Number (integer)	Provide total weight (kg) of SWORDFISH onboard. Enter "0" if NONE	0	2010-02: 02
Shark	Number (integer)	Provide total weight (kg) of SHARKS onboard. Enter "0" if NONE	0	2010-02: 02
Other	Number (integer)	Provide total weight (kg) of OTHER CATCHES onboard Enter "0" if NONE	5	2010-02: 02
Total	Number (integer)	Provide total weight (kg) of all species on board. Enter "0" if NONE	54	2010-02: 02
Transshipment (Y/N)	Text	Enter "Y" if intend to transship in Eastern High Seas Pocket Special Management Enter "N" if do not intend to transship in Eastern High Seas Pocket Special Management	N	2010-02: 02
WCPFC Identification Number (WIN)	Text	Vessel identifier assigned by flag State in accordance with CMM 2004-03, in UPPER CASE	ABC1234	2013-10: 6(a)
Vessel Name	Text	Name of the fishing vessel as indicated on flag State registration, in UPPER CASE	SEA MAPLE II	2013-10: 6(a)

Attachment 1B. Electronic data standard to be used for Attachment C paragraph 3 of CMM 2014-01 Conservation and Management Measure for Bigeye, Yellowfin and Skipjack tuna in the Western and Central Pacific Ocean (or its replacement) (HSP1MARPT)

PHILIPPINES HSP1-SMA reporting

3. Philippines shall require its concerned vessels to submit reports to the Commission at least 24 hours prior to entry and no more than 6 hours prior to exiting the HSP-1 SMA. This information may, in turn, be transmitted to the adjacent coastal States/Territories.

The report shall be in the following format: VID/Entry or Exit: Date/Time; Lat/Long

Field name	Field format	Field description/instructions	Example	Ref. in CMMs
VID	Number (integer)	This number is generated automatically by the WCPFC Record of Fishing Vessels (RFV), and is now a field that in accordance with CMM 2014-03 is displayed, for all vessels on the WCPFC RFV.	10503	2014-03
WCPFC Identification Number (WIN)	Text	Vessel identifier assigned by flag State in accordance with CMM 2004-03, in UPPER CASE	ABC1234	2013-10: 6(a)
Vessel Name	Text	Name of the fishing vessel as indicated on flag State registration, in UPPER CASE	SEA MAPLE II	2013-10: 6(a)
Entry/Exit	Text	Enter "ENTRY" for reports prior to entry to High Seas Pocket 1 - Special Management Area. Enter "EXIT" for reports made prior to exiting the High Seas Pocket 1 - Special Management Area.	EXIT	2014-01: Att C 03
Date/Time	Number (integer)	Of anticipated point of entry or exit, in UTC and 24 hour format (ISO 8601) [YYYY]-[MM]-[DD]T[HH]:[MM]Z	2014-01-24T23:00Z	2014-01: Att C 03
Latitude	Number (integer)	Positions to degrees and minutes to 3 decimal places (ISO 6709) +/- DDMM.MMM	- 14.166 (for 14-10-00 S)	2014-01: Att C 03
Longtitude	Number (integer)	Positions to degrees and minutes to 3 decimal places (ISO 6709) +/- DDDMM.MMM	- 157.45 (for 157-27-00 W)	2014-01: Att C 03

Attachment 1C. Electronic data standard to be used for WCPFC9 decision on the Standard format for manual position reporting in the event of ALC/MTU Malfunction or Failure (WCPFC9 Summary Report Attachment H) (or its replacement) (VMSMNLRPT)

MANUAL POSITION REPORTING IN THE EVENT OF ALC/MTU MALFUNCTION OR FAILURE

WCPFC9 agreed standard format for manual position reporting in the event of ALC/MTU Malfunction or Failure:

1 WIN 5 Latitude – DD-MM-SS (N/S) 2 Vessel Name 6 Longitude – DDD-MM-SS (E/W)

3 Date: dd/mm/yy 7 Activity (Fishing/Searching/Transit/Transhipping)

4 Time: 24 hour format HH:MM (UTC)

Field name	Field format	Field description/instructions	Example	Ref. in CMMs
VID	Number (integer)	This number is generated automatically by the WCPFC Record of Fishing Vessels (RFV), and is now a field that in accordance with CMM 2014-03 is displayed, for all vessels on the WCPFC RFV.	10503	2014-03**
WCPFC Identification Number (WIN)	Text	Vessel identifier assigned by flag State in accordance with CMM 2004-03, in UPPER CASE	ABC1234	2013-10: 6(a)
Vessel Name	Text	Name of the fishing vessel as indicated on flag State registration, in UPPER CASE	SEA MAPLE II	2013-10: 6(a)
Date/Time	Number (integer)	Of anticipated point of entry or exit, in UTC and 24 hour format (ISO 8601) [YYYY]-[MM]-[DD]T[HH]:[MM]Z	2014-01-24T23:00Z	2014-01: Att C 03
Latitude	Number (integer)	Positions to degrees and minutes to 3 decimal places (ISO 6709) +/- DDMM.MMM	- 14.166 (for 14-10-00 S)	2014-01: Att C 03
Longtitude	Number (integer)	Positions to degrees and minutes to 3 decimal places (ISO 6709) +/- DDDMM.MMM	- 157.45 (for 157-27-00 W)	2014-01: Att C 03
Activity	Text	Enter "FISHING" Enter "SEARCHING" Enter "TRANSIT" Enter "TRANSHIPPING"	TRANSIT	WCPFC9 decision

^{** -} VID is an additional data field and is necessary to support operational "upload" into WCPFC databases

Attachment 2. Electronic Formatting Specifications for EHSPSMARPT, HSP1SMARPT and VMSMNLRPT

These specifications describe the electronic files that CCMs must provide if they choose to use electronic reporting technologies to meet the following WCPFC reporting requirements:

- i. Paragraph 2 of CMM 2010-02 Conservation and Management Measure for the Eastern High Seas Pocket Special Management Area (CMM 2010-02: 02)
- ii. Attachment C paragraph 3 of CMM 2014-01 Conservation and Management Measure for Bigeye, Yellowfin and Skipjack tuna in the Western and Central Pacific Ocean (CMM 2014-01: Att C 03); and
- iii. WCPFC9 decision on the *Standard format for manual position reporting in the* event of ALC/MTU Malfunction or Failure (WCPFC9 Summary Report Attachment H) to meet (CMM 2014-02 9a VMS SSPs 5.4 5.5).

A) File type

The information must be provided in one of the following formats:

Microsoft Excel file; Comma separated values (CSV) file; Text file

B) File name

The name of the file must be: XX_ VID_xxxxxxxxxxx DDMMYYYY.sssss where:

- XX two letter ISO country code (CMM 2014-03 Att 7) of the CCM providing the file
- VID five digit integer assigned number for a vessels record on the WCPFC Record of Fishing Vessels (RFV) (CMM 2014-03)
- xxxxxxxxxx a ten digit code to represent the type of CMM reporting requirement

EHSPSMARPT - CMM 2010-02: 02

HSP1SMARPT – CMM 2014-01: Att C 03

VMSMNLRPT – VMS manual report for ALC failure or malfunction (CMM 2014-02 9a VMS SSPs 5.4 - 5.5)

- DDMMYYYY the date of the provision of the file
- sssss the standard file suffix (xls or xlsx if Excel file; csv if CSV file; txt if Text file)

For example:

CK_5936_EHSPSMARPT_11082013.xlsx (Excel file Eastern High Sea Pocket Special Management Area Report provided by Cook Islands for vessel with VID 5936, on 11 August 2013)

C) File content and structure

Each record in the electronic file represents a single report. Each record must have the structure specified in Attachment 1A, 1B or 1C, including the same sequence of fields.

Sample electronic reporting files with the proper formats are available from the Secretariat.

Attachment 5

 $\hbox{CONSULTATION DOCUMENT: DRAFT-SSPs FOR ELECTRONIC REPORTING IN THE WCPFC_ as amended by ER and EMWG1 \\$

Attachment 3A. Electronic data standard to be used for WCPFC ROP Minimum Standard Data Fields, as amended by WCPFC11 decisions.

Western and Central Pacific Fisheries Commission (WCPFC)

E-REPORTING STANDARD DATA FIELDS

OPERATIONAL OBSERVER DATA

Draft - Version 1.0

10th June 2015

Contents

INTRO	DUCTION	3
1.PURS	SE SEINE OBSERVER E-REPORTING STANDARDS	4
1.1	DATA MODEL DIAGRAM	2
1.2	TRIP-LEVEL DATA	
1.3	DAILY SUMMARY DATA	
1.4	ACTIVITY LOG DATA	
1.5	SET-LEVEL DATA	10
1.6	SET CATCH DATA	12
1.7	SPECIES OF SPECIAL INTEREST DATA	13
1.8	SPECIES OF SPECIAL INTEREST DETAILS DATA	16
1.9	LENGTH SAMPLE DATA	17
1.10	INDIVIDUAL LENGTH DATA	18
1.11	TRIP MONITORING QUESTIONS	19
1.12	TRIP MONITORING COMMENTS	19
1.13	VESSEL/AIRCRAFT SIGHTINGS DATA	
1.14	CREW DATA	
1.15	MARINE DEVICES DATA	22
1.16	WELL TRANSFER DATA	
1.17	PURSE SEINE GEAR DATA	24
1.18	FAD MATERIAL DATA	
1.19	FAD MATERIAL DETAIL	
1.20	OBSERVER POLLUTION REPORT	27
1.21	OBSERVER POLLUTION DETAILS	
1.22	OBSERVER JOURNAL	
1.23	PURSE SEINE TRIP REPORT	29
2.LONG	GLINE OBSERVER E-REPORTING STANDARDS	31
2.1	DATA MODEL DIAGRAM	31
2.2	TRIP-LEVEL DATA	32
2.3	SET-LEVEL DATA	33
2.4	SET-HAUL LOG DATA	35
2.5	SET CATCH DATA	36
2.6	SPECIES OF SPECIAL INTEREST DATA	37
2.7	SPECIES OF SPECIAL INTEREST DETAILS DATA	37
2.8	TRIP MONITORING QUESTIONS	37
2.9	TRIP MONITORING COMMENTS	
2.10	VESSEL/AIRCRAFT SIGHTINGS DATA	
2.11	MARINE DEVICES DATA	_
2.12	CREW DATA	
2.13	LONGLINE GEAR DATA	
2.14	POLLUTION REPORT	
2.15	OBSERVER JOURNAL	
2.16	LONGLINE TRIP REPORT	42

PPENDICES	44
APPENDIX A1 – DATE/TIME FORMAT	44
APPENDIX A2 – POSITION/COORDINATE FORMAT	44
APPENDIX A3 – PORT LOCATION CODES	
APPENDIX A4 – VESSEL IDENTIFICATION	
APPENDIX A5 – PURSE SEINE OBSERVER ACTIVITY CODES	46
APPENDIX A6 – PURSE SEINE TUNA SCHOOL ASSOCIATION CODES	46
APPENDIX A7 – PURSE SEINE TUNA SCHOOL DETECTION CODES	46
APPENDIX A8 – SPECIES CODES	47
APPENDIX A9 – OBSERVER FATE CODES	47
APPENDIX A10 – OBSERVER CONDITION CODES	48
APPENDIX A11 – LENGTH CODES	49
APPENDIX A12 – SEX CODES	
APPENDIX A13 – Vessel activity (SSI interaction) codes	
APPENDIX A14 – SIZE and SPECIES COMPOSIION SAMPLE PROTOCOL	50
APPENDIX A15 – MEASURING INSTRUMENTS Codes	
APPENDIX A16 – TRIP MONITORING QUESTION Codes	
APPENDIX A17 – VESSEL / AIRCRAFT SIGHTINGS Codes	52
APPENDIX A18 – ACTION Codes	
APPENDIX A19 – Purse seine CREW JOB Codes	
APPENDIX A20 – MARINE DEVICES Codes	
APPENDIX A21 – DEVICE USAGE codes	54
APPENDIX A22 – WEIGHT MEASUREMENT codes	55
APPENDIX A23 – GONAD STAGE codes	
APPENDIX A24 – FAD ORIGIN codes	
APPENDIX A25 – FAD DETECTION codes	
APPENDIX A26 – FAD MATERIAL codes	
APPENDIX A27 – FAD TYPE codes	_
APPENDIX A28 – POLLUTION GEAR codes	
APPENDIX A29 – POLLUTION MATERIALS codes	
APPENDIX A30 – POLLUTION SOURCE codes	
APPENDIX A31 – POLLUTION TYPE codes	57

INTRODUCTION

These tables set out the proposed standards for the provision of operational OBSERVER data fields collected in the WCPFC tropical purse seine and the longline fisheries through E-Reporting. These tables provide the minimum requirements for data entities, data formats and data validation to be established for data submitted to the national and regional fisheries authorities from E-Reporting systems. The data fields contained herein are based on information collected under the current regional standard data collection forms. This document acknowledges that national fisheries authorities require certain data fields that are not mandatory WCPFC Regional Observer Programme (ROP) data fields (for example, for anticipated Catch Documentation System – CDS – requirements), so a column in these tables identifies whether the data field is a mandatory WCFPC data field¹ or not.

These E-Reporting data field standards are consistent with, and should be considered in conjunction with more detailed instructions² on how to collect observer data provided by SPC.

These tables are intended for, *inter alia*, E-Reporting service providers who have been contracted to provide electronic systems to record OBSERVER data collected on-board purse seine vessels.


The minimum standard WCPFC Regional Observer programme (ROP) data fields for purse seine data are found in the "WCPFC ROP Minimum Standard Data Fields & Instructions" http://www.wcpfc.int/doc/table-rop-data-fields-including-instructions

² In addition to the minimum WCPFC ROP data fields, instructions for observer data collection in the WCPFC Area are available with the regional standard observer data collection forms at http://www.spc.int/oceanfish/en/data-collection-forms, general information/instruction for observers at http://www.spc.int/oceanFish/en/ofpsection/fisheries-monitoring/observers and http://www.spc.int/oceanFish/en/certification-and-training-standards.

1. PURSE SEINE OBSERVER E-REPORTING STANDARDS

1.1 DATA MODEL DIAGRAM

The following basic data model diagram outlines the structure of the entities and their relationships for purse seine operational OBSERVER data collected by E-Reporting systems and submitted to national and regional fisheries authorities. The tables that follow provide more information on the mechanisms of the links (relationships) between the entities.



1.2 TRIP-LEVEL DATA

OBS TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
OBSPRG_CODE	OBSERVER SERVICE PROVIDERS identification- National or sub-regional observer programmes For national programmes, this is the COUNTRY_CODE + 'OB' for example, 'PGOB' - for the PNG national observer programme. For Sub-regional programmes, the following codes are used. 'TTOB' - US Multilateral Treaty Observer programme 'FAOB' - FSM Arrangement Observer	Char (4)	Observer programme code must be must valid country. Refer to valid ISO two-letter Country Codes - ISO 3166 For example, refer to http://en.wikipedia.org/wiki/ISO_3166-1	<obsprg_code></obsprg_code>	Y
STAFF_CODE	Programme Observer field staff NAME CODE. This will be unique and link to information kept at the regional level including Observer Name, Nationality of observer, Observer provider.	VarChar (5)	Staff code must exist in the regional Observer (FIELD_STAFF) Name Table. The unique 5-letter staff codes are generated and maintained by SPC/FFA.	<staff_code></staff_code>	Y
TRIPNO	Unique TRIPNO for each observer in a given year (Regional Standard) Use the last two digits of the trip year followed by a dash and increment number for each trip in a year FOR THAT OBSERVER. YY-XX, for example, '14-01' would represent the first trip for an observer in the calendar year 2014	Char (5)	Must adhere to the regional standard	<tripno></tripno>	N
TRIPNO_INTERNAL	TRIPNO as allocated and used by the respective Observer service provider. (If this system is different from the regional standard (e.g. the US PS MLT observer programme trip number uses the format '24LP/xxx')	VarChar (15)		<tripno_int></tripno_int>	N

OBS TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC
11000	Data Collection instructions	l rieid format notes	variation rules		FIELD
DATE and TIME OF	Depart DATE/TIME for the observer trip				Y
DEPARTURE	(Observer's departure)				
	-	DUTTE TO ADDRESS 44	11 17mg D2mm 6 11 1 1 1 1	555 5155	
	Vessel depart date/time will be obtained	REFER TO APPENDIX A1	Use UTC DATE for the departure date.	<dep_date></dep_date>	
	from other sources of data (e.g. VMS				
	Data)				
DATE AND TIME OF	Return DATE/TIME for the observer trip				Y
ARRIVAL IN PORT	(from the observer's point of view)				
		REFER TO APPENDIX A1	Use UTC DATE for the return date. DD/MM/YY	<ret date=""></ret>	
	Vessel return date/time will be obtained	REPER TO AFFENDIX AT	ose of DATE for the return date. DD/MM/11	CKEI_DAIE>	
	from other sources of data (e.g. VMS				
	Data)				
GEAR CODE	Link to ref gears table	Char (1)	Must be a valid GEAR: 'L' - Longline;	<gear code=""></gear>	Y
GEAR_CODE			'S' - Purse seine; 'P' - Pole-and-line	_	
FISHING	PROVIDE License/Permit number that the	CHAR (40)	Where possible, include validation to	<license_no></license_no>	N
PERMIT/LICENSE	vessel holds for the period of the TRIP.	UPPER CASE	ensure the Permit format relevant to the		
NUMBERS			agreement (national or sub-regional)		
			complies to the required format.		
VESSEL IDENIFIER		REFER TO	APPENDIX A4		
VERSN_ID	Data standards version	Int		<versn_id></versn_id>	N
	Two letter COUNTRY CODE for the country who organise the trip	Char (2)	Refer to valid ISO two-letter Country		Y
COUNTRY CODE			Codes - ISO 3166	<country_code></country_code>	
COONTRI_CODE			For example, refer to		
			http://en.wikipedia.org/wiki/ISO_3166-1		
PORT OF DEPARTURE	PROVIDE the Port of Departure		Must be valid United Nations - Code for	<dep_port></dep_port>	Y
			Trade and Transport Locations (UN/LOCODE)		
		REFER TO APPENDIX A3	- see		
		KEI EK TO TITTENDIK IIS	http://www.unece.org/cefact/locode/service		
			/location		
PORT OF RETURN	PROVIDE the Port of Return for Unloading	REFER TO APPENDIX A3	Must be valid United Nations - Code for	<ret_port></ret_port>	Y
			Trade and Transport Locations (UN/LOCODE)		
	m	DEFEND TO ADDRESS A			
DEP LAT	The actual depart LAT position for the	REFER TO APPENDIX A2		<dep lat=""></dep>	Y
_	trip (if departing AT SEA)	DEFEND TO ADDRESS A		_	
DEP LON	The actual depart LON position for the	REFER TO APPENDIX A2		<dep lon=""></dep>	Y
-	trip (if departing AT SEA)			_	ļ
RET LAT	The actual return LAT position for the	REFER TO APPENDIX A2		<ret lat=""></ret>	Y
_	trip (if departing AT SEA)			_	
RET LON	The actual return LON position for the	REFER TO APPENDIX A2		<ret lon=""></ret>	Y
=	trip (if departing AT SEA)			_	
VESOWNER	NAME of the vessel owner	NVarChar (50)		<vesowner></vesowner>	Y
VESCAPTAIN	NAME of the captain of the vessel	NVarChar (50)		<vescaptain></vescaptain>	Y
VESCAPT_NATION	NATIONALITY of the captain of the vessel	Char (2)	Refer to valid ISO two-letter Country	<pre><vescapt_co_code></vescapt_co_code></pre>	Y

OBS TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

	Convention).					
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD	
			Codes - ISO 3166			
	Two letter COUNTRY CODE for the country		For example, refer to			
	who organise the trip		http://en.wikipedia.org/wiki/ISO 3166-1			
VESCAPT ID DOC	Captain's Document ID	NVarChar (20)	_	<pre><vescapt_id_doc></vescapt_id_doc></pre>	Y	
VESMASTER	NAME of the fishing master	NVarChar (50)		<vesmaster></vesmaster>		
VESMAST NATION	NATIONALITY of the vessel MASTER		Refer to valid ISO two-letter Country	<pre><vescapt_co_code></vescapt_co_code></pre>		
_		Gl (2)	Codes - ISO 3166		v	
	Two letter COUNTRY CODE for the country	Char (2)	For example, refer to		Y	
	who organise the trip		http://en.wikipedia.org/wiki/ISO 3166-1			
VESMAST ID DOC	FISHING MASTERS's Document ID	NVarChar (20)		<pre><vescapt_id_doc></vescapt_id_doc></pre>	Y	
CREW NUMBER	Total number of CREW onboard during the	Int		<crew number=""></crew>	Y	
CREW_NUMBER	trip	THE		<crew_number></crew_number>	Y	
SPILL	FLAG to indicated the trip was a SPILL	Bit	_	<spill></spill>	N	
SFILL	SAMPLE trip	BIC		(SFIBE)	IN	
CADET	FLAG to indicated whether the trip was	Bit		<cadet></cadet>	N	
CADEI	observed by a CADET observer	BIC		CIBBI	IN	
SHARKTARGET	FLAG to indicated a trip has targeted	Bit		<sharktarget></sharktarget>	N	
DIANKIAKGET	SHARKS (LONGLINE trips only)	BIC		COMMISSION OF THE PROPERTY	IN	
COMMENTS	General comments about the trip	NText		<comments></comments>	N	



1.3 DAILY SUMMARY DATA

	PS OBS DAY								
The observer	The observer must provide the information in this table (daily logged DAY) for EACH DAY AT SEA for the period of the trip.								
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD				
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y				
DAY LOG IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + LOCAL DAY LOG DATE			<s_day_id></s_day_id>	Y				
DAY_START	Local Date and time at the start of the logged date.	REFER TO APPENDIX A1		<start_date></start_date>	Y				
UTC DAY START	UTC equivalent of DAY START	REFER TO APPENDIX A1		<utc_start_date></utc_start_date>	Y				
LOG_NOFISH_N	For the entire logged day, provide the Number of logs sighted but no schools association.	SmallInt		<log_nofish_n></log_nofish_n>	Y				
LOG_FISH_N	For the entire logged day, provide the Number of log associated schools sighted.	SmallInt		<log_fish_n></log_fish_n>	Y				
SCH_FISH_N	For the entire logged day, provide the	SmallInt		<sch_fish_n></sch_fish_n>	Y				
FAD_FISH_N	For the entire logged day, provide the Number of anchored FADs sighted.	SmallInt		<fad_fish_n></fad_fish_n>	Y				
FAD_NOFISH_N	For the entire logged day, provide the Number of anchored FADS sighted but no schools association.	SmallInt		<fad_nofish_n></fad_nofish_n>	Y				
GEN3TODAY_ANS	For the entire logged day, provide the FLAG to indicate that incident has occurred on GEN3.	Char (1)	Must be consistent with the GEN-3 data.	<gen3today_ans></gen3today_ans>	N				
DIARYPAGE	Journal page # which has detail explanations of the incident	VarChar (50)		<diarypage></diarypage>	N				

1.4 ACTIVITY LOG DATA

PS OBS ACTIVITY

The observer must PROVIDE a record of EACH change in ACTIVITY for EACH DAY AT SEA for the period of the trip. This is effectively the OBSERVER's ACTIVITY LOG

FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC
					FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL			<obstrip_id></obstrip_id>	Y
	KEY or unique integer. NATURAL KEY				
	would be VESSEL + DEPARTURE DATE				
ACTIVITY LOG	Internally generated. Can be NATURAL			<s_log_id></s_log_id>	Y
IDENTIFIER	KEY or unique integer. NATURAL KEY				
	would be VESSEL + DEPARTURE DATE +				
	DAY LOG DATE + ACTIVITY LOG TIME				
ACT_DATE	Local/Ship's date and time of	REFER TO APPENDIX A1	Must be consistent with the start of DAY log	<act_date></act_date>	Y
	Activity log recording.		DATE		
UTC_ACT_DATE	UTC equivalent of ACT_DATE	REFER TO APPENDIX A1		<utc_act_date></utc_act_date>	Y
LAT	Latitude at which this ACTIVITY LOG	REFER TO APPENDIX A2		<lat></lat>	Y
	recorded				
LON	Longitude at which this ACTIVITY LOG	REFER TO APPENDIX A2		<lon></lon>	Y
	recorded.				
S_ACTIV_ID	Purse seine activity code.	REFER TO APPENDIX A5		<s_activ_id></s_activ_id>	Y
SCHAS_ID	School association code.	REFER TO APPENDIX A6		<schas_id></schas_id>	Y
DETON_ID	Detection id. code. Must be 1-6 or 0	REFER TO APPENDIX A7		<deton_id></deton_id>	Y
	for no information.				
BEACON	Beacon number where	NVarChar (20)	Can only be recorded where an activity is	<beacon></beacon>	N
			related to an event for investigating,		
			deploying, retrieving or setting on a floating		
			object. REFER TO APPENDIX A5		
COMMENTS	Observer comments related to this	NText		<comments></comments>	N
	activity				

1.5 SET-LEVEL DATA

Т	he obse	erver must PROVIDE the fol	PS_OBS_	_SET for EACH FISHING SET for the period of th	ne trip.	
FIELD		llection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	KEY or would be	lly generated. Can be NATURAL unique integer. NATURAL KEY e VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
SET IDENTIFIER	KEY or would be	lly generated. Can be NATURAL unique integer. NATURAL KEY e VESSEL + DEPARTURE DATE + RT DATE + SET START TIME		Must be consistent with PS_OBS_ACTIVITY record where S_ACTIV_ID = 1 (A fishing set).	<s_set_id></s_set_id>	Y
SET NUMBER	Unique :	# for the SET ni this trip	Int		<set_number></set_number>	N
SKIFFOFF_TIME		as the START of SET - Local me when net skiff off with net	REFER TO APPENDIX A1		<skiffoff_time></skiffoff_time>	Y
SKIFFOFF UTC		E & TIME of START of SET	REFER TO APPENDIX A1	Must be aligned to SKIFFOFF TIME	<skiffoff_utc></skiffoff_utc>	Y
WINCHON_TIME	LOCAL Di	ATE/TIME when winches start to e net.	REFER TO APPENDIX A1		<winchon_time></winchon_time>	Y
WINCHON_UTC		E & TIME when winches start to	REFER TO APPENDIX A1	Must be aligned to WINCHON_TIME	<winchon_utc></winchon_utc>	Y
RINGUP_TIME	raised :	ATE/TIME when purse ring is from the water.	REFER TO APPENDIX A1		<ringup_time></ringup_time>	Y
RINGUP_UTC	UTC DAT	E & TIME when purse ring is from the water.	REFER TO APPENDIX A1	Must be aligned to RINGUP_TIME	<ringup_utc></ringup_utc>	Y
SBRAIL TIME		ATE/TIME when brailing begins.	REFER TO APPENDIX A1		<sbrail_time></sbrail_time>	Y
SBRAIL UTC		E & TIME when brailing begins.	REFER TO APPENDIX A1	Must be aligned to SBRAIL TIME	<sbrail_utc></sbrail_utc>	Y
EBRAIL TIME	LOCAL D	ATE/TIME when brailing ends.	REFER TO APPENDIX A1	_	<ebrail_time></ebrail_time>	Y
EBRAIL UTC	UTC DAT	E & TIME when brailing ends.	REFER TO APPENDIX A1	Must be aligned to EBRAIL TIME	<ebrail_utc></ebrail_utc>	Y
STOP_TIME	Time who	ATE/TIME for the END of SET - en net skiff comes on-board d of set.	REFER TO APPENDIX A1		<stop_time></stop_time>	Y
STOP_UTC		E & TIME - Date &Time when net omes on-board i.e. end of set.	REFER TO APPENDIX A1	Must be aligned to STOP_TIME	<stop_utc></stop_utc>	Y
LD BRAILS	Sum of a	all brails	Decimal (8,3)		<ld_brails></ld_brails>	N
LD_BRAILS2		brails (#2)- only where a type of brailer was used	Decimal (8,3)		<ld_brails2></ld_brails2>	N
MTTOTAL_OBS	Total ol	bserved catch (TUNA and) (mt)	Decimal (8,3)		<mt_total_obs></mt_total_obs>	Y
MTTUNA_OBS	TOTAL at	mount of TUNA observed (mt)	Decimal (8,3)	Derived from and consistent with MTTOTAL_OBS minus all the bycatch (mt) listed under PS OBS CATCH for this SET	<mttuna_obs></mttuna_obs>	Y
TOTSKJ_ANS	CK CK	FLAG to indicate whether SKJ is presence in the set catch	Char (1)		<totskj_ans></totskj_ans>	Y
PERC SKJ	JAC	% of SKJ in the set catch	Int		<perc_skj></perc_skj>	Y
MTSKJ_OBS	SKIPJACK	Metric Tonnes of SKJ in the set catch	Decimal (8,3)	Determined from MTTUNA_OBS and PERC_SKJ fields	<mtskj_obs></mtskj_obs>	Y
TOTYFT_ANS	Y L C K	FLAG to indicate whether YFT is presence in the set catch	Char (1)		<totyft_ans></totyft_ans>	Y
PERC YFT	보다도	% of YFT in the set catch	Int		<perc yft=""></perc>	Y

			PS OBS	SET		
T	he obse	erver must PROVIDE the fo	llowing information	for EACH FISHING SET for the period of t	he trip.	
FIELD	Data Co	llection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
MTYFT_OBS		Metric Tonnes of YFT in the set catch	Decimal (8,3)	Determined from MTTUNA_OBS and PERC_YFT fields	<mtyft_obs></mtyft_obs>	Y
LARGE_YFT_ANS		FLAG to indicate YFT in the set catch	Char (1)		<large_yft_ans></large_yft_ans>	Y
PERC_LARGE_YFT		% of large YFT in the set catch	Int		<perc_large_yft></perc_large_yft>	Y
NB_LARGE_YFT		<pre># of large YFT in the set catch</pre>	Int		<nb_large_yft></nb_large_yft>	Y
TOTBET_ANS		FLAG to indicate whether BET is presence in the set catch	Char (1)		<totbet_ans></totbet_ans>	Y
PERC_BET		% of BET in the set catch	Int		<perc_bet></perc_bet>	Y
MTBET_OBS	BIGEYE	Metric Tonnes of BET in the set catch	Decimal (8,3)	Determined from MTTUNA_OBS and PERC_BET fields	<mtbet_obs></mtbet_obs>	Y
LARGE_BET_ANS	BIG	FLAG to indicate BET in the set catch	Char (1)		<pre><large_bet_ans></large_bet_ans></pre>	Y
PERC_LARGE_BET		% of large BET in the set catch	Int		<perc_large_bet></perc_large_bet>	Y
NB_LARGE_BET		<pre># of large BET in the set catch</pre>	Int		<nb_large_bet></nb_large_bet>	Y
COMMENTS	comment	S	NText		<comments></comments>	N
B_NBTAGS	Number	of tags	SmallInt		<b_nbtags></b_nbtags>	Y



1.6 SET CATCH DATA

m.h	PS_OBS_CATCH The observer must PROVIDE the following CATCH DETAILS for EACH FISHING SET for the period of the trip.						
FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC FIELD		
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y		
SET IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME		Must be consistent with PS_OBS_ACTIVITY record where S_ACTIV_ID = 1 (A fishing set).	<s_set_id></s_set_id>	Y		
CATCH IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME + SPECIES CODE + FATE CODE			<s_catch_id></s_catch_id>	Y		
SP CODE	Species code.	Char (3)	REFER TO APPENDIX 8.	<sp_code></sp_code>	Y		
FATE_CODE	FATE of this catch. This indicates whether it was RETAINED, DISCARDED or ESCAPED, and any specific processing.	Char (3)	REFER TO APPENDIX 9	<fate_code></fate_code>	Y		
COND_CODE	CONDITION of this catch. Relevant for the Species of Special Interest.	Char (2)	REFER TO APPENDIX 10	<cond_code></cond_code>	Y		
OBS_MT	Observer's visual estimate of TOTAL Species catch in metric tonnes. OBTAINED from the visual estimate of % of TUNA SPECIES in the respective fields for SKJ, YFT and BET in the table PS_OBS_SET. For BYCATCH species, this is the visual estimate, where relevant.	Decimal (8,3)		<obs_mt></obs_mt>	У		
OBS_N	Species catch (in numbers). OBTAINED from the visual estimate, which may be relevant for DISCARDs of TUNA, the discards/retained catch of BILLFISH and most other bycatch species. Entry into this field is mandatory for any Species of Special interest.	Int	For Species of Special interest (Mammals, Turtles, Birds and Sharks) there must be a corresponding set of records in the Species of Special interest table.	<obs_n></obs_n>	У		
COMMENTS	Are there any comments for this species catch ? (Y/N)	NText		<comments></comments>	N		

1.7 SPECIES OF SPECIAL INTEREST DATA

OBS SSI

The observer must PROVIDE the following SPECIES OF SPECIAL INTEREST CATCH DETAILS for EACH FISHING SET for the period of the trip. There may be one or many records for each SSI record in PS_OBS_CATCH. When SIGHTED only, then this table is linked to the OBS_TRIP database table.

FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
SET IDENTIFIER - PS	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME		To be used to link to PS OBS SET when relevant When SGTYPE = 'L' or 'I' Must be consistent with PS_OBS_ACTIVITY record where S_ACTIV_ID = 1 (A fishing set).	<s_set_id></s_set_id>	Y
CATCH IDENTIFIER - PS	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME + SPECIES CODE + FATE CODE		To be used to link to PS OBS CATCH when relevant When SGTYPE = 'L' or 'I' Must be a link to the corresponding PS_OBS_CATCH record for this SSI	<s_catch_id></s_catch_id>	Y
SET IDENTIFIER - LL	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME		To be used to link to LL_OBS_SET when relevant When SGTYPE = 'L' or 'I' Must be consistent with PS_OBS_ACTIVITY record where S ACTIV ID = 1 (A fishing set).	<l_set_id></l_set_id>	Y
CATCH IDENTIFIER -	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME + SPECIES CODE + FATE CODE		To be used to link to LL OBS CATCH when relevant When SGTYPE = 'L' or 'I' Must be a link to the corresponding PS_OBS_CATCH record for this SSI	<l_catch_id></l_catch_id>	Y
SSI CATCH IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + DAY LOG + SIGHTING TIME + SPECIES CODE + FATE CODE			<ssi_id></ssi_id>	Y
SGTYPE	Type of Interaction : 'L' - Landed; "S"- Sighted; "I" - Interacted with Gear	Char (1)	Must be 'L' - Landed; "S"- Sighted; "I" - Interacted with Gear	<sgtype></sgtype>	Y
SGTIME	Time of Interaction : 'L' - Time of Landing; "I" - Time of Interaction / sighting	Char (1)		<sgtime></sgtime>	Y
SSI_DATE	Local/Ship's date and time when	REFER TO	When SGTYPE = 'L' or 'I'	<ssi_date></ssi_date>	Y

OBS SSI

The observer must PROVIDE the following SPECIES OF SPECIAL INTEREST CATCH DETAILS for EACH FISHING SET for the period of the trip. There may be one or many records for each SSI record in PS_OBS_CATCH. When SIGHTED only, then this table is linked to the OBS_TRIP database table.

the Obs_IRIP database table.								
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD			
	this SSI was encountered.	APPENDIX A1						
			Must be consistent with PS_OBS_ACTIVITY record -					
			ACT_DATE					
UTC_SSI_DATE	UTC equivalent of SSI_DATE	REFER TO	When SGTYPE = 'L' or 'I'	<utc_ssi_date></utc_ssi_date>	Y			
		APPENDIX A1						
			Must be consistent with PS_OBS_ACTIVITY record -					
			UTC_ACT_DATE					
LAT	Latitude at which this SSI was	REFER TO	When SGTYPE = 'L' or 'I'	<lat></lat>	Y			
	encountered	APPENDIX A2	N I I I I I I I I I I I I I I I I I I I					
7.037	T '- 1 - 1 - 1 - 1 - 1 - 00T	DEEDD #0	Must be consistent with PS_OBS_ACTIVITY record - LAT When SGTYPE = 'L' or 'I'	LON	7.7			
LON	Longitude at which this SSI was	REFER TO	when SGTYPE = 'L' or 'I'	<lon></lon>	Y			
	encountered	APPENDIX A2	Must be seed that with DC ODG ACTIVITY was and ION					
an aona	007.0	G1 (2)	Must be consistent with PS_OBS_ACTIVITY record - LON	<sp code=""></sp>	7.7			
SP_CODE	SSI Species encountered. Link to species table	Char (3)	REFER TO APPENDIX 8.	<sp_code></sp_code>	Y			
	species table		Must correspond to the PS OBS CATCH record					
SP DESC	Extended Species Description	NText	Must correspond to the Ps_OBS_CATCH record	<sp desc=""></sp>	N			
LANDED COND CODE	Condition code on LANDING	Char (2)	REFER TO APPENDIX 10	<pre><landed code="" cond=""></landed></pre>	Y			
LANDED COND DESC	Description of Condition on	NText	REFER TO APPENDIX TO	<pre><landed cond_code=""></landed></pre>	Y			
LANDED_COND_DESC	Landing or at start of interaction	MIEXC		<pre><uanded_cond_desc></uanded_cond_desc></pre>	ĭ			
	with vessel's gear							
LANDED HANDLING	Description of handling on landing	NText		<landed handling=""></landed>	N			
LANDED LEN	Length of landed species	Decimal (5,1)		<landed len=""></landed>	Y			
LEN CODE	Length code of the individual	Char (2)	REFER TO APPENDIX 11	<len code=""></len>	Y			
LANDED SEX CODE	Sex code of the individual	Char (1)	REFER TO APPENDIX 12	<landed code="" sex=""></landed>	Y			
DISCARD COND CODE	Condition code on RELEASE/DISCARD,	Char (2)	REFER TO APPENDIX 10	<pre><discard code="" cond=""></discard></pre>	Y			
DIBCARD_COND_CODE	or at the END of interaction with	Char (2)	KEI EK TO ALLENDIK TO		_			
	vessel's gear							
DISCARD COND DESC	Description of Condition on	NText		<discard cond="" desc=""></discard>	Y			
	RELEASE/DISCARD, or at the END of				_			
	interaction with vessel's gear							
SHK FIN WT KGS	Estimated SHARK FIN WEIGHT (kgs)	Decimal (5,0)		<shk_fin_wt_kgs></shk_fin_wt_kgs>	Y			
SHK FIN BODY KGS	Estimated SHARK CARCASS WEIGHT	Decimal (5,0)		<shk_fin_body_kgs></shk_fin_body_kgs>	Y			
	(kgs)							
TAG RET NO	Tag Number recovered from animal	NVarChar (7)		<tag_ret_no></tag_ret_no>	Y			
TAG RET TYPE	Type of Tag recovered from animal	NVarChar (5)		<tag_ret_type></tag_ret_type>	Y			
TAG RET ORG	Origin of Tag recovered from	NVarChar (10)		<tag_ret_org></tag_ret_org>	Y			
	animal (Organisation)							
TAG_PLACE_NO	Tag number placed on animal	NVarChar (14)		<tag_place_no></tag_place_no>	Y			
TAG PLACE TYPE	Type of Tag placed on animal	NVarChar (8)		<tag_place_type></tag_place_type>	Y			
TAG PLACE ORG	Origin of Tag placed on animal	NVarChar (10)		<tag_place_org></tag_place_org>	Y			
	(Organisation)	· ·						
INTACT ID	Vessel activity when INTERACTION	Int	REFER TO APPENDIX 13	<intact_id></intact_id>	Y			
_	occurs			_	1			

OBS SSI

The observer must PROVIDE the following SPECIES OF SPECIAL INTEREST CATCH DETAILS for EACH FISHING SET for the period of the trip. There may be one or many records for each SSI record in PS_OBS_CATCH. When SIGHTED only, then this table is linked to the OBS_TRIP database table.

FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC		
		notes			FIELD		
INTACT_OTHER	Other types of interaction	NVarChar (20)		<intact_other></intact_other>	Y		
INT_DESCRIBE	Description of the interaction	NText		<int_describe></int_describe>	Y		
SGACT_ID	Vessel activity when SIGHTING	Int	REFER TO APPENDIX 13	<sgact_id></sgact_id>	Y		
	occurs						
SGACT_OTHER	Indicates "other" Vessel Activity	NVarChar (20)		<sgact_other></sgact_other>	N		
SIGHT_N	Number of individuals sighted	SmallInt		<sight_n></sight_n>	Y		
SIGHT_ADULT_N	Number of adults sighted	SmallInt		<sight_adult_n></sight_adult_n>	N		
SIGHT_JUV_N	Number of juveniles sighted	SmallInt		<sight_juv_n></sight_juv_n>	N		
SIGHT_LEN	Estimated overall length (Average	NText		<sight_len></sight_len>	N		
	if more than one individual)						
SIGHT_DIST	Distance of sighted animals from	Decimal (7,3)		<sight_dist></sight_dist>	N		
	vessel						
SIGHT_DIST_UNIT	Units used for SIGHT_DIST	INT	1 = Metres; 2 = kilometres; 3 = Nautical miles	<sight_dist_unit></sight_dist_unit>	N		
SIGHT DIST NM	Distance in nautical miles	Decimal (10,4)		<sight_dist_nm></sight_dist_nm>	N		
SIGHT BEHAV	Description of behaviour of	NText		<sight_behav></sight_behav>	N		
	Sighted animals						



1.8 SPECIES OF SPECIAL INTEREST DETAILS DATA

OBS SSI DETAILS

The observer must PROVIDE the following SPECIES OF SPECIAL INTEREST CATCH DETAILS for EACH FISHING SET for the period of the trip. The specific detail of each interaction needs to be recorded/stored here.

trip. The specific detail of each interaction needs to be recorded/stored here.							
FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC		
		notes			FIELD		
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y		
SSI CATCH IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + DAY LOG + SIGHTING TIME + SPECIES CODE + FATE CODE		Link to OBS_SSI table	<ssi_id></ssi_id>	Y		
SSI DETAILS IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + DAY LOG + SIGHTING TIME + SPECIES CODE + FATE CODE			<ssi_det_id></ssi_det_id>	Y		
START_END	Indication of "START" or "END" of interaction	Char (1)	Must be either 'S' for START or 'E' for END	<start_end></start_end>	Y		
SSI_NUMBER	Number of animals interacted	Int		<ssi_number></ssi_number>	Y		
COND_CODE	CONDITION at the point of recording (either START or END)	Char (2)	REFER TO APPENDIX 10	<cond_code></cond_code>	Y		
DESCRIPTION	Descriptions of the interaction	VarChar (100)		<description></description>	N		

1.9 LENGTH SAMPLE DATA

		DO T	EGAMDI E							
			FSAMPLE							
PROV	PROVIDE the information related to the size (length) and species composition SAMPLE from each FISHING SET.									
FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC FIELD					
		notes		ODGEDID ID	Y					
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY			<obstrip_id></obstrip_id>	¥					
	would be VESSEL + DEPARTURE DATE									
SET IDENTIFIER	Internally generated. Can be NATURAL			<s id="" set=""></s>	Υ					
SEI IDENIIIIEK	KEY or unique integer. NATURAL KEY			(5_521_15)	_					
	would be VESSEL + DEPARTURE DATE +									
	SET START DATE + SET START TIME									
LF SAMPLE	Internally generated. Can be NATURAL			<s_lfsamp _id=""></s_lfsamp>	Y					
IDENTIFIER	KEY or unique integer. NATURAL KEY									
	would be VESSEL + DEPARTURE DATE +									
	DAY LOG + SET START DATE + SET START									
	TIME + SAMPLE_TYPE									
SAMPLETYPE ID	Sample Type	CHAR (1)	REFER TO APPENDIX 14	<sampletype_id></sampletype_id>	Y					
OTHER_DESC	Description other sampling type	NText		<other_desc></other_desc>	N					
FISH PER BRAIL	Target # of fish for sampling	SmallInt		<fish_per_brail></fish_per_brail>	N					
MEASURE_CODE	MEASURING INSTRUMENT	Char (1)	REFER TO APPENDIX 15	<measure_code></measure_code>	N					
COMMENTS	Comments about the sampling	NText		<comments></comments>	N					
BRAIL_FULL_N	# of Full brail count	SmallInt		<brail_full_n></brail_full_n>	N					
BRAIL_78_N	# of Seven eighths brail count	SmallInt		<brail_78_n></brail_78_n>	N					
BRAIL_34_N	# of Three quarter brail count	SmallInt		<brail_34_n></brail_34_n>	N					
BRAIL_23_N	# of Two third brail count	SmallInt		<brail_23_n></brail_23_n>	N					
BRAIL 12 N	# of Half brail count	SmallInt		<brail_12_n></brail_12_n>	N					
BRAIL_13_N	# of One third brail count	SmallInt		<brail_13_n></brail_13_n>	N					
BRAIL_14_N	# of One quarter brail count	SmallInt		<brail_14_n></brail_14_n>	N					
BRAIL_18_N	# of One eighth brail count	SmallInt		<brail_18_n></brail_18_n>	N					
BRAIL_N	Total number of brails	SmallInt		<brail_n></brail_n>	N					
SUM_BRAILS	Sum of All Brails	Decimal (7,2)		<sum_brails></sum_brails>	N					
SAMPLED_BRAIL_N	# of sampled brail	Int		<sampled_brail_num></sampled_brail_num>	N					
UM										
MEASURED_N	# of samples measured	Int		<measured_n></measured_n>	N					

1.10 INDIVIDUAL LENGTH DATA

	JOHE LENGTH DITTI				
		PS	LFMEAS		
	PROVIDE the individual	fish measurem	ents from the SAMPLE from each FISHING SET.		
FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC
		notes			FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL			<obstrip_id></obstrip_id>	Y
	KEY or unique integer. NATURAL KEY				
	would be VESSEL + DEPARTURE DATE				
SET IDENTIFIER	Internally generated. Can be NATURAL			<s_set_id></s_set_id>	Y
	KEY or unique integer. NATURAL KEY				
	would be VESSEL + DEPARTURE DATE +				
	SET START DATE + SET START TIME			a realize to	
LF SAMPLE	Internally generated. Can be NATURAL			<s_lfsamp _id=""></s_lfsamp>	Y
IDENTIFIER	KEY or unique integer. NATURAL KEY				
	would be VESSEL + DEPARTURE DATE + DAY LOG + SET START DATE + SET START				
	TIME + SAMPLE TYPE				
LF MEASURE	Internally generated. Can be NATURAL			<s id="" lfmeas=""></s>	Y
IDENTIFIER	KEY or unique integer. NATURAL KEY			10_21112110_10	-
152111111	would be VESSEL + DEPARTURE DATE +				
	DAY LOG + SET START DATE + SET START				
	TIME + SAMPLE TYPE + SEQ NUMBER				
SEQ_NUMBER	Measurement number.	Int		<seq_number></seq_number>	N
SP_CODE	Link to species table	Char (3)	REFER TO APPENDIX 8.	<sp_code></sp_code>	Y
LEN	Length (cm).	SmallInt		<len></len>	Y
	Expect that the following				
	measurements have been taken by the				
	observers, as instructed.				
	TIPLE OPERATION IN A S. I.				
	TUNA SPECIES - Upper jaw to fork				
	<pre>length; SHARK SPECIES - total length;</pre>				
	BILLFISH SPECIES - Lover jaw to fork				
	length for billfish.				
	Tongen for Diffition.		_		1

1.11 TRIP MONITORING QUESTIONS

PPOV	OBS_TRIPMON PROVIDE the details of the OBSERVER GEN-3 "OBSERVER VESSEL TRIP MONITORING FORM". One record per question.								
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD				
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y				
TRIP MONITORING IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + UNIQUE SEQ NUMBER			<tripmon_id></tripmon_id>	Y				
QUESTION_CODE	Unique CODE for each question in GEN3	Char (4)	REFER TO APPENDIX 16	<question_code></question_code>	Y				
ANSWER	FLAG to indicate whether has been answered or NOT	Char (1)	MUST BE 'Y', 'N' or 'X'- not answered	<answer></answer>	Y				
JOURNAL_PAGE	Detail description of the incident	NText		<journal_page></journal_page>	Y				

1.12 TRIP MONITORING COMMENTS

PROVIDE the	OBS_TRIPMON_COMMENTS PROVIDE the details of the OBSERVER GEN-3 "OBSERVER VESSEL TRIP MONITORING FORM". One record per day of trip monitoring reported event/incident.								
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD				
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y				
TRIP MONITORING COMMENTS IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + UNIQUE SEQ NUMBER			<tripmon_det_id></tripmon_det_id>	Y				
GEN3_DATE	Date of the incident on GEN3	REFER TO APPENDIX A1		<gen3_date></gen3_date>	Y				
COMMENTS	Detail description of the incident	NText		<comments></comments>	Y				

1.13 VESSEL/AIRCRAFT SIGHTINGS DATA

		VES AIR	SIGHT							
PROVIDE	PROVIDE the details on the GEN-1 form VESSEL AND AIRCRAFT SIGHTINGS / FISH, BUNKERING and OTHER TRANSFERS LOGS									
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD					
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y					
SIGHTING IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SIGHT_DATE_TIME			<sight_id></sight_id>	Y					
SIGHT_DATE_TIME	Date/Time of sighting	REFER TO APPENDIX A1		<sighting_date></sighting_date>	Y					
LAT	Latitude of SIGHTING	REFER TO APPENDIX A2		<lat></lat>	Y					
LON	Longitude of SIGHTING	REFER TO APPENDIX A2		<lon></lon>	Y					
VESSEL IDENIFIER		REF	FER TO APPENDIX A4							
VATYP ID	Vessel / Aircraft type	Int	REFER TO APPENDIX 17	<vatyp_id></vatyp_id>	Y					
BEARING DIR	Bearing (0-360 degrees)	SmallInt		<pre><bearing_dir></bearing_dir></pre>	Y					
DISTANCE	Distance	Decimal (7,3)		<distance></distance>	Y					
DIST UNIT	Units of Distance	INT	1 = Metres; 2 = kilometres; 3 = Nautical miles	<dist_unit></dist_unit>	Y					
ACTION_CODE	Action of Vessel/Aircraft sighted	Char (2)	REFER TO APPENDIX 18 for Vessel/Aircraft sightings only - only allow actions where FORM USED = 'GEN-1'	<action_code></action_code>	Y					
COMMENTS	Comments	NText		<comments></comments>	Y					



1.14 CREW DATA

	PS_CREW PROVIDE the details of each PURSE SEINE CREW member on this TRIP.								
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD				
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y				
CREW IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + CREW NAME			<s_crew_id></s_crew_id>	Y				
VSJOB ID	CREW JOB TYPE	Int	REFER TO APPENDIX 19	<vsjob_id></vsjob_id>	N				
NAME	Name of the person in this position	NVarChar (50)		<name></name>	Y				
COUNTRY_CODE	Nationality of the person in this position	Char (2)	Refer to valid ISO two-letter Country Codes - ISO 3166 For example, refer to http://en.wikipedia.org/wiki/ISO 3166-1	<country_code></country_code>	Y				
EXP_YR	Experience in Years	SmallInt		<exp_yr></exp_yr>	N				
EXP_MO	Experience in months	SmallInt		<exp_mo></exp_mo>	N				
COMMENTS	Comments	NText		<comments></comments>	N				



1.15 MARINE DEVICES DATA

		V	ES_ELEC		
	PROVIDE inform	mation on the	standard Marine Electronic devices.		
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
TRIP/VESSEL DEVICE IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + DEVICE_ID			<v_device_id></v_device_id>	Y
DEVICE_ID	Marine Device CODE.	Int	Refer to APPENDIX 20 - the DEVICES should only be available according to the respective gear code (e.g. "S" for purse seine or "L" for longline is in the GEAR LIST CODES column)	<device_id></device_id>	Y
ONBOARD_CODE	Is this DEVICE SIGHTED ONBOARD ?	Char (1)	'Y' or 'N'	<onboard_code></onboard_code>	Y
USAGE_CODE	Is this DEVICE USED ?	Char (3)	Refer to APPENDIX 21	<usage_code></usage_code>	N
MAKE_DESC	Description of Make	NVarChar (30)		<make_desc></make_desc>	N
MODEL_DESC	Description of Model	NVarChar (30)		<model_desc></model_desc>	N
COMMENTS	Comments	NText		<comments></comments>	N



1.16 WELL TRANSFER DATA

WELL TRANSFER

PROVIDE information for each transfer to/from storage WELLs during the trip.

This may become mandatory WCPFC data collection related to CDS.

	This may become mandatory WCPFC data collection related to CDS.							
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	N			
WELL TRANSFER IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + TRX_DATE			<s_well_trx_id></s_well_trx_id>	N			
TRX DATE	DATE and TIME of fish transfer	REFER TO APPENDIX A1		<trx_date></trx_date>	N			
ACTION_CODE	WELL TRANSFER ACTION CODE	Char (2)	REFER TO APPENDIX 18 for Well transfers only - only allow actions where FORM USED = 'PS-5	<action_code></action_code>	N			
SOURCE	Fish transfer source Can be the 'NET' and valid well number or a VESSEL	VarChar (80)	Can be the 'NET' and valid well number or a VESSEL	<source/>	N			
DESTINATION	Description of the transfer destination Can be Well No., vessel, SHORE or DISCARD	VarChar (80)	Can be Well No., vessel, SHORE or DISCARD	<destination></destination>	И			
WELL_MT	Weight of the fish transfer	Decimal (8,3)		<well_mt></well_mt>	N			
CHANGE	Change of transfer - add or remove	Char (1)	Must be either '+', '-' or '0' (for no change)	<change></change>	N			
NEW_TOTAL	New cumulative to for the transfer	Decimal (8,3)		<new_total></new_total>	N			
ON_LOGSHEET	FLAG to indicate the transfer has been stated on the logsheet	Char (1)		<on_logsheet></on_logsheet>	N			
COMMENTS	Comments made on the fish transfer	NText		<comments></comments>	N			

1.17 PURSE SEINE GEAR DATA

		P	S_GEAR		
	PROVIDE info	ormation on the	e PURSE SEINE GEAR on the vessel.		
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
PS GEAR IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<s_gear_id></s_gear_id>	Y
PB_MAKE	Power block make	NVarChar (20)		<pb_make></pb_make>	N
PB_MODEL	Power block model	NVarChar (20)		<pb_model></pb_model>	N
PW_MAKE	Purse winch make	NVarChar (20)		<pw_make></pw_make>	N
PW_MODEL	Purse winch model	NVarChar (20)		<pw_model></pw_model>	N
NET_DEPTH	Max depth of the net	SmallInt		<net_depth></net_depth>	Y
NET_DEPTH_UNIT_ID	Net Depth unit of measurement M - metres; Y- Yards; F-Fathoms	Int	Must be M, Y, F or blank	<net_depth_unit_id></net_depth_unit_id>	Y
NET_LENGTH	Max length of the net	SmallInt		<net_length></net_length>	Y
NET_LENGTH_UNIT_ID	Net Length unit of measurement M - metres; Y- Yards; F-Fathoms	Int	Must be M, Y, F or blank	<net_length_unit_id></net_length_unit_id>	Y
NET_STRIPS	Number of net strips	SmallInt		<net_strips></net_strips>	N
NET_HANG_RATIO	Max net hang ratio	SmallInt		<net_hang_ratio></net_hang_ratio>	N
MESH_MAIN	Main Mesh size	SmallInt		<mesh_main></mesh_main>	Y
MESH_MAIN_UNIT_ID	Main mesh size unit of measurement C - centimetres; I - Inches	Int	Must be C, I or blank	<mesh_main_unit_id></mesh_main_unit_id>	Y
BRAIL_SIZE1	Brail #1 Capacity	Decimal (5,1)		<brail_size1></brail_size1>	Y
BRAIL_SIZE2	Brail #2 Capacity	Decimal (5,1)		<brail_size2></brail_size2>	Y
BRAIL TYPE	Brailing Type Description	NText		<brail type=""></brail>	Y

1.18 FAD MATERIAL DATA

		PS FAD MA	TERIAL		
	PROVIDE informa		RIAL observed during the trip.		
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
FAD EVENT IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + FAD EVENT DATE/TIME			<fad_id></fad_id>	Y
FAD_EVENT_DATE	DATE/TIME of the FAD observation event	REFER TO APPENDIX A1		<fad_event_date></fad_event_date>	Y
OBJECT_NUMBER	Number allocated for the object	SmallInt		<object_number></object_number>	Y
ORIGIN_CODE	Original CODE of the FAD	REFER TO APPENDIX A24	Code 5 or 6 used for FADs with radio buoy attached	<origin_code></origin_code>	Y
DEPLOYMENT_DATE	Date of FAD deployment	REFER TO APPENDIX A1		<pre><deployment_date></deployment_date></pre>	Y
LAT	LAT postion of deployment	REFER TO APPENDIX A2		<lat></lat>	Y
LON	LON postion of deployment	REFER TO APPENDIX A2		<lon></lon>	Y
SSI_TRAPPED	FLAG to indicate whether any SSI are trapped on the FAD	Char (1)		<ssi_trapped></ssi_trapped>	Y
AS_FOUND_CODE	CODE to indicate whether the FAD "as Found"	Int		<as_found_code></as_found_code>	Y
AS_LEFT_CODE	CODE to indicate whether the FAD "as Left"	Int		<as_left_code></as_left_code>	Y
MAX_DEPTH_M	Max DEPTH of the FAD in metres	Decimal (5,1)		<max_depth_m></max_depth_m>	Y
LENGTH_M	Max LENGTH of the FAD in metres	Decimal (5,1)		<length_m></length_m>	Y
WIDTH_M	Max WIDTH of the FAD in metres	Decimal (5,1)		<width_m></width_m>	Y
BUOY_NUMBER	Buoy number stated on the FAD	NVarChar (20)		<buoy_number></buoy_number>	Y
MARKINGS	Markings on the FAD	NVarChar (50)		<markings></markings>	Y
COMMENTS	Comments made by the observer about the FAD	NText		<comments></comments>	Y

1.19 FAD MATERIAL DETAIL

	PS_FAD_MATERIAL_DETAIL PROVIDE information on the FAD MATERIAL DETAIL observed during the trip.									
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD					
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y					
FAD EVENT IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + FAD EVENT DATE/TIME			<fad_id></fad_id>	Y					
MATERIAL_CODE	FAD Material CODE	REFER TO APPENDIX A26	Material Code must exist in the ref_ids table	<material_code></material_code>	Y					
IS_ATTACHMENT	FLAG to indicate if there is an attachment to the FAD	Char (1)	'Y' or 'N'	<is_attachment></is_attachment>	Y					



1.20 OBSERVER POLLUTION REPORT

		OBS POLI	LUTION		
	PROVIDE inf	ormation any Polluti	on observed during the trip.		
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y
POLLUTION EVENT IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + INCIDENT DATE/TIME			<poll_id></poll_id>	Y
INC_DATE	DATE & TIME of the incident	REFER TO APPENDIX A1		<inc_dtime></inc_dtime>	Y
LAT	Latitude where incident occured	REFER TO APPENDIX A2		<lat></lat>	Y
LON	Longitude where incident occured	REFER TO APPENDIX A2		<lon></lon>	Y
PORT ID	PORT where incident occurred	REFER TO APPENDIX A3		<port_id></port_id>	N
ACTIV ID	Activity when event occurred	REFER TO APPENDIX A5		<activ_id></activ_id>	N
VESSEL IDENIFIER		RE	FER TO APPENDIX A4		
VATYP ID	Vessel / Aircraft type	Int	REFER TO APPENDIX 17	<vatyp_id></vatyp_id>	N
BEARING_DIR	Compass Bearing to offending vessel	SmallInt		<bearing_dir></bearing_dir>	N
DISTANCE	Distance to offending vessel	Decimal (7,3)		<distance></distance>	N
COMMENTS	Additional comments	NText		<comments></comments>	N
STICKERS ANS	Response to "Stickers" question	Char (1)	'Y' or 'N'	<stickers_ans></stickers_ans>	N
AWARE ANS	Response to "MARPOL" question	Char (1)	'Y' or 'N'	<aware_ans></aware_ans>	N
ADVISED_ANS	Response to "INFRINGEMENTS" question	Char (1)	'Y' or 'N'	<advised_ans></advised_ans>	N
PHOTOS ANS	Response to "PHOTOS" question	Char (1)	'Y' or 'N'	<photos_ans></photos_ans>	N
PHOTO_NUMBERS	Number of photos taken on the incident	NVarChar (50)		<photo_numbers></photo_numbers>	N

1.21 OBSERVER POLLUTION DETAILS

	OBS_POLLUTION_DETAILS							
	PROVIDE informat	ion any Pollution de	etails observed during the trip.					
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y			
POLLUTION EVENT IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + INCIDENT DATE/TIME			<poll_id></poll_id>	Y			
POLLUTIONTYPE_ID	Pollution type code	REFER TO APPENDIX A31	For example, Disposal of OFFAL MANAGEMENT is a WCFPC required field.	<pollutiontype_id></pollutiontype_id>	Y			
MATERIAL ID	Pollution Materials code	REFER TO APPENDIX A29		<material_id></material_id>				
POLL GEAR ID	Pollution Gear code	REFER TO APPENDIX A28		<poll_gear_id></poll_gear_id>				
POLL_SRC_ID	Pollution Source code	REFER TO APPENDIX A30	For example, Disposal of OFFAL MANAGEMENT is a WCFPC required field.	<poll_src_id></poll_src_id>	Y			
POLL_DESC	Description of pollution type	NText	For example, Disposal of OFFAL MANAGEMENT is a WCFPC required field.	<poll_desc></poll_desc>	Y			
POLL_QTY	Description of pollution quantity	NText	For example, Disposal of OFFAL MANAGEMENT is a WCFPC required field.	<poll_qty></poll_qty>	Y			

1.22 OBSERVER JOURNAL

OBS_JOURNAL PROVIDE a description of the day's activities in a daily journal record for the trip.							
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD		
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	N		
DAILY JOURNAL IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obs_jrnl_id></obs_jrnl_id>	N		
JRNL_DATE	DATE of Journal entry	REFER TO APPENDIX A1		<jrnl_date></jrnl_date>	N		
JRNL TEXT	Daily journal entry	NText		<jrnl_text></jrnl_text>	N		

1.23 PURSE SEINE TRIP REPORT

PS TRIP REPORT

PROVIDE descriptive information on the trip.

Refer to the relevant sections in http://www.spc.int/OceanFish/en/publications/doc_download/1334-2014-ps-trip-

FIELD	Refer to the relevant sections in http://v TELD Data Collection Instructions			XML TAG	WCPFC
LIEUD	Data Collection instructions	Field format	validation rules	AMII TAG	FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY	посев		<obstrip id=""></obstrip>	N
11111 100111111111	or unique integer. NATURAL KEY would be				
	VESSEL + DEPARTURE DATE				
1 BACKGROUND	(Refer to relevant section in link above)	NText		<1 BACKGROUND>	N
2_0_CRUISE_SUMMARY	(Refer to relevant section in link above)	NText		<2_0_CRUISE_SUMMARY>	N
2 1 AREA FISHED	(Refer to relevant section in link above)	NText		<2 1 AREA FISHED>	N
2_2_END_OF_TRIP	(Refer to relevant section in link above)	NText		<2_2_END_OF_TRIP>	N
3 0 DATA COLLECTED	(Refer to relevant section in link above)	NText		<3 0 DATA COLLECTED>	N
4_0_VESSEL_CREW	Refer to relevant section in link above)	NText		<4_0_VESSEL_CREW>	N
4_1_VESS_INFO	Refer to relevant section in link above)	NText		<4_1_VESS_INFO>	N
4 2 CREW NATION	Refer to relevant section in link above)	NText		<4 2 CREW NATION>	N
4_2_1_PIC	Refer to relevant section in link above)	NText		<4_2_1_PIC>	N
4_3_FISHING_GEAR	Refer to relevant section in link above)	NText		<4_3_FISHING_GEAR>	N
4_3_1_BRAIL	Refer to relevant section in link above)	NText		<4_3_1_BRAIL>	N
4_3_2 NET	Refer to relevant section in link above)	NText		<4_3_2 NET>	N
4_4_ELEC	Refer to relevant section in link above)	NText		<4_4_ELEC>	N
4_5_SAFETY_EQ	Refer to relevant section in link above)	NText		<4_5_SAFETY_EQ>	N
4_6_OTHER_GEAR	Refer to relevant section in link above)	NText		<4_6_OTHER_GEAR>	N
5_0_FISH_STRATEGY	Refer to relevant section in link above)	NText		<5_0_FISH_STRATEGY>	N
5_1_FLOAT_SCHS	Refer to relevant section in link above)	NText		<5_1_FLOAT_SCHS>	N
5_2_FREE_SCHS	Refer to relevant section in link above)	NText		<5_2_FREE_SCHS>	N
5_3_SET_TECH	Refer to relevant section in link above)	NText		<5_3_SET_TECH>	N
5_4_VESS_ADV	Refer to relevant section in link above)	NText		<5_4_VESS_ADV>	N
5_5_HELICOPTER	Refer to relevant section in link above)	NText		<5_5_HELICOPTER>	N
5_6_FISH_SUCC	Refer to relevant section in link above)	NText		<5_6_FISH_SUCC>	N
5_7_FISH_INFO	Refer to relevant section in link above)	NText		<5_7_FISH_INFO>	N
6_0_COC	Refer to relevant section in link above)	NText		<6_0_COC>	N
7_0_ENVIRON	Refer to relevant section in link above)	NText		<7_0_ENVIRON>	N
8_1_TARGET_RET	Refer to relevant section in link above)	NText		<8_1_TARGET_RET>	N
8_2_TARGET_DISC	Refer to relevant section in link above)	NText		<8_2_TARGET_DISC>	N
8 3 TARGET LOG	Refer to relevant section in link above)	NText		<8 3 TARGET LOG>	N
8 4 BYCATCH	Refer to relevant section in link above)	NText		<8 4 BYCATCH>	N
8 4 1 BYC LOG COMP	Refer to relevant section in link above)	NText		<8 4 1 BYC LOG COMP>	N
8 4 2 BILL	Refer to relevant section in link above)	NText		<8 4 2 BILL>	N
8 4 3 SHARKS RAYS	Refer to relevant section in link above)	NText		<8 4 3 SHARKS RAYS>	N
8 4 4 OTHER BY-CATCH	Refer to relevant section in link above)	NText		<8 4 4 OTHER BY-CATCH>	N
8 4 5 UNSPEC SP CODES	Refer to relevant section in link above)	NText		<8 4 5 UNSPEC SP CODES>	N
8 4 6 SSI LAND	Refer to relevant section in link above)	NText		<8 4 6 SSI LAND>	N
8 4 7 SSI INTERACT	Refer to relevant section in link above)	NText		<8 4 7 SSI INTERACT>	N
8 4 8 SSI SIGHT	Refer to relevant section in link above)	NText		<8 4 8 SSI SIGHT>	N
9_0_SAMPLING	Refer to relevant section in link above)	NText		<9_0_SAMPLING>	N
9 1 GRAB	Refer to relevant section in link above)	NText		<9 1 GRAB>	N

PS TRIP REPORT

PROVIDE descriptive information on the trip.

Refer to the relevant sections in http://www.spc.int/OceanFish/en/publications/doc download/1334-2014-ps-trip-report-


FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
9_2_SPILL	Refer to relevant section in link above)	NText		<9_2_SPILL>	N
9_3_OTHER	Refer to relevant section in link above)	NText		<9_3_OTHER>	N
10_0_OTHER_PROJ	Refer to relevant section in link above)	NText		<10_0_OTHER_PROJ>	N
11_0_WELL_LOAD	Refer to relevant section in link above)	NText		<11_0_WELL_LOAD>	N
12_0_VESS _DATA	Refer to relevant section in link above)	NText		<12_0_VESS _DATA>	N
13_0_GENERAL	Refer to relevant section in link above)	NText		<13_0_GENERAL>	N
14_0_ TRIP_MON	Refer to relevant section in link above)	NText		<14_0_ TRIP_MON>	N
14_1_CLARIFY	Refer to relevant section in link above)	NText		<14_1_CLARIFY>	N
14_2_RECOMMEND	Refer to relevant section in link above)	NText		<14_2_RECOMMEND>	N
14_3_CREW_INFO	Refer to relevant section in link above)	NText		<14_3_CREW_INFO>	N
14_4_MEDICAL	Refer to relevant section in link above)	NText		<14_4_MEDICAL>	N
14_5_PHOTOS	Refer to relevant section in link above)	NText		<14_5_PHOTOS>	N
14_6_OTHER INFO	Refer to relevant section in link above)	NText		<14_6_OTHER INFO>	N
15_0_PROBS	Refer to relevant section in link above)	NText		<15_0_PROBS>	N
15_1_FORM_CH_RECS	Refer to relevant section in link above)	NText		<15_1_FORM_CH_RECS>	N
16_0_CONCL	Refer to relevant section in link above)	NText		<16_0_CONCL>	N
17_0_ACKS	Refer to relevant section in link above)	NText		<17_0_ACKS>	N



2. LONGLINE OBSERVER E-REPORTING STANDARDS

2.1 DATA MODEL DIAGRAM

The following basic data model diagram outlines the structure of the entities and their relationships for purse seine operational OBSERVER data collected by E-Reporting systems and submitted to national and regional fisheries authorities. The tables that follow provide more information on the mechanisms of the links (relationships) between the entities.



2.2 TRIP-LEVEL DATA



2.3 SET-LEVEL DATA

		LL OBS	QRT .					
	The observer must PROVIDE the following information for EACH FISHING SET/HAUL during the trip.							
FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y			
SET IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME			<l_set_id></l_set_id>	Y			
SET_NUMBER	Unique # for the SET in this trip	Int		<set_number></set_number>	N			
OBSERVED_YN	Flag to indicate whether set was observer or not.	Bit		<observed_yn></observed_yn>	N			
SET_DATE	Start Date/time for set.	REFER TO APPENDIX A1		<set_date></set_date>	Y			
HK BT FLT	Number of hooks between floats	SmallInt	Must be 1-60, or -1 for no information.	<hk bt="" flt=""></hk>	Y			
BASK SET	Number of baskets set.	SmallInt	1122 2 30, 32 2 232 113 211232	<bask set=""></bask>	Y			
BASK_OBSERVED	Number of basket observed (bottom of form, Nov 07 version)	SmallInt		<bask_observed></bask_observed>	Y			
HOOK SET	Total number of hooks set.	SmallInt		<hook set=""></hook>	Y			
HOOK_OBSERVED	Number of hooks observed and data recorded.	SmallInt		<hook_observed></hook_observed>	Y			
FLOAT LENGTH	Length of floatline (m)	SmallInt		<float length=""></float>	Y			
LSPEED	Line setting speed.	Decimal (5,1)		<lspeed></lspeed>	Y			
LSPEED UNIT ID	Link to ref ids table	CHAR(1)	Must be 'M' for metres/second or 'K' for knots	<lspeed id="" unit=""></lspeed>	Y			
BRANCH_INTVL	Time interval (secs.) between branchline sets.	SmallInt		<pre></pre>	Y			
BRANCH_DIST	Mainline distance between branchlines (m).	Decimal (4,1)		<branch_dist></branch_dist>	Y			
VESSEL SET SPEED	Vessel setting Speed (Knots).	Decimal (5,1)		<vessel set="" speed=""></vessel>	N			
LIGHTSTICKS	Number of lightsticks used	SmallInt		<lightsticks></lightsticks>	Y			
TDRS	Number of Time Depth recorders used	SmallInt		<tdrs></tdrs>	Y			
BRANCH_LENGTH	Length of branchline (m) (If all are of a consistent length, otherwise use next set of fields).	Decimal (4,1)		<branch_length></branch_length>	Y			
BRANCH_0_20	Number of branchlines between successive floats that are < 20 m.	SmallInt		<branch_0_20></branch_0_20>	Y			
BRANCH_20_34	Number of branchlines between successive floats that are 20-35 m.	SmallInt		<branch_20_34></branch_20_34>	Y			
BRANCH_35_50	Number of branchlines between successive floats that are 35-50 m.	SmallInt		<branch_35_50></branch_35_50>	Y			
BRANCH_50_99	Number of branchlines between successive floats that are > 50 m.	SmallInt		<pre><branch_50_99></branch_50_99></pre>	Y			
FLOAT_HOOK_N	The total number of hooks that have been hung directly from the floatline for this set.	SmallInt		<float_hook_n></float_hook_n>	Y			
TAR SP CODE	Target Species id recorded on the form	Char (3)	REFER TO APPENDIX 8.	<tar_sp_code></tar_sp_code>	Y			

LL_OBS_SET The observer must PROVIDE the following information for EACH FISHING SET/HAUL during the trip.

FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC
		notes			FIELD
	for this set (refer to the SPECIES				
	table)				
TARGET_TUN_YN	ADDITIONAL FLAG indication for MULTIPLE	Bit		<target_tun_yn></target_tun_yn>	Y
	targeting				
TARGET_SWO_YN	ADDITIONAL FLAG indication for MULTIPLE	Bit		<target_swo_yn></target_swo_yn>	Y
	targeting				
TARGET_SKH_YN	ADDITIONAL FLAG indication for MULTIPLE	Bit		<target_skh_yn></target_skh_yn>	Y
	targeting				
SETDETAILS	General notes on the setting procedures.	NText		<setdetails></setdetails>	N
	Any comments relating to the setting				
	strategy. For example has there been any				
	specific targetting of shark in this				
	set.	m1 (n)		D3.TM1	
BAIT1 SP CODE	Bait species id. # 1	Char (3)	REFER TO APPENDIX 8.	<bait1_sp_code></bait1_sp_code>	Y
BAIT2_SP_CODE	Bait species id. # 2	Char (3)	REFER TO APPENDIX 8.	<bait2_sp_code></bait2_sp_code>	Y
BAIT3_SP_CODE	Bait species id. # 3	Char (3)	REFER TO APPENDIX 8.	<bait3_sp_code></bait3_sp_code>	Y
BAIT4_SP_CODE	Bait species id. # 4	Char (3)	REFER TO APPENDIX 8.	<bait4_sp_code></bait4_sp_code>	Y
BAIT5_SP_CODE	Bait species id. # 5	Char (3)	REFER TO APPENDIX 8.	<bait5_sp_code></bait5_sp_code>	Y
BAIT1_W	Weight of bait species #1 used, (kg)	SmallInt		<bait1_w></bait1_w>	N
BAIT2_W	Weight of bait species #2 used, (kg)	SmallInt		<bait2_w></bait2_w>	N
BAIT3_W	Weight of bait species #3 used, (kg)	SmallInt		<bait3_w></bait3_w>	N
BAIT4_W	Weight of bait species #4 used, (kg)	SmallInt		<bait4_w></bait4_w>	N
BAIT5_W	Weight of bait species #5 used, (kg)	SmallInt		<bait5_w></bait5_w>	N
BAIT1_H	Hook number(s) in basket that Bait 1 was placed	NVarChar (25)	(Hook numbers separated by commas)	<bait1_h></bait1_h>	N
BAIT2 H	Hook number(s) in basket that Bait 2 was	NVarChar (25)	(Hook numbers separated by commas)	<bait2 h=""></bait2>	N
_	placed		,	_	
BAIT3 H	Hook number(s) in basket that Bait 3 was	NVarChar (25)	(Hook numbers separated by commas)	<bait3 h=""></bait3>	N
-	placed				
BAIT4 H	Hook number(s) in basket that Bait 4 was	NVarChar (25)	(Hook numbers separated by commas)	<bait4_h></bait4_h>	N
-	placed				
BAIT5 H	Hook number(s) in basket that Bait 5 was	NVarChar (25)	(Hook numbers separated by commas)	<bait5_h></bait5_h>	N
-	placed				
BAIT1 DYED YN	FLAG indication on dyed on bait #1	SmallInt		<bait1_dyed_yn></bait1_dyed_yn>	Y
BAIT2 DYED YN	FLAG indication on dyed on bait #2	SmallInt		<bait2_dyed_yn></bait2_dyed_yn>	Y
BAIT3 DYED YN	FLAG indication on dyed on bait #3	SmallInt		<bait3_dyed_yn></bait3_dyed_yn>	Y
BAIT4 DYED YN	FLAG indication on dyed on bait #4	SmallInt		<bait4_dyed_yn></bait4_dyed_yn>	Y
BAIT5 DYED YN	FLAG indication on dyed on bait #5	SmallInt		<bait5_dyed_yn></bait5_dyed_yn>	Y
TORI POLES YN	FLAG indication on tori poles used	SmallInt		<tori_poles_yn></tori_poles_yn>	Y
BIRD CURTAIN YN	FLAG indication on bird curtain used	SmallInt		<bird_curtain_yn></bird_curtain_yn>	Y
WT LINES YN	FLAG indication on weighted lines used	SmallInt		<wt_lines_yn></wt_lines_yn>	Y
UW CHUTE YN	FLAG indication on underwater chute used	SmallInt		<uw chute="" yn=""></uw>	Y

2.4 SET-HAUL LOG DATA

LL SETHAULLOG

The E-Reporting system must PROVIDE the following log information for EACH SET/HAUL during the period of the trip, typically on a 30-minute basis.

	on a 30-minute dasis.							
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y			
SET IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME			<l_set_id></l_set_id>	Y			
SETHAUL LOG IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + LOG DATE + LOG TIME			<l_sethaulog_id></l_sethaulog_id>	Y			
LOG_DATE	Date/TIME of log reading	REFER TO APPENDIX A1		<log_date></log_date>	Y			
SETHAUL	Status of gear at this logged date/time : Set (S) Haul (H) or Soak (K)	Char (4)	Must be either 'S', 'H', 'K'	<sethaul></sethaul>	Y			
STEND_ID	Indicator for status of the SET-HAUL 83 - First log record for the SET (start of SET information) 84 - Last log record for the SET (end of SET information) 85 - First log record for the HAUL (start of HAUL information) 86 - Last log record for the HAUL (end of HAUL information)	Int	Must be 83, 84, 85, 86 or NULL	<stend_id></stend_id>	Y			
LAT	Latitude (long format)	REFER TO APPENDIX A2	7	<lat></lat>	Y			
LON	Longitude (long format)	REFER TO APPENDIX A2		<lon></lon>	Y			
COMMENTS	Comments	NText		<comments></comments>	N			

2.5 SET CATCH DATA

The	${ m LL_OBS_CATCH}$ The observer must PROVIDE the following CATCH DETAILS for EACH FISHING HAUL for the period of the trip.						
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD		
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y		
SET IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME			<l_set_id></l_set_id>	Y		
CATCH IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + SET START DATE + SET START TIME + CATCH EVENT DATE + CATCH EVENT TIME			<l_catch_id></l_catch_id>	Y		
CATCH_DATE	Date/TIME of individual catch event	REFER TO APPENDIX A1		<catch_date></catch_date>	Y		
HOOK_NO	Hook number (since the last float). Hook number=99 represents catch on a hook hanging directly from the floatline.	SmallInt		<hook_no></hook_no>	Y		
SP_CODE	Species code.	Char (3)	REFER TO APPENDIX 8. Only shark species can have a FATE as 'RFR' and 'DFR'.	<sp_code></sp_code>	Y		
FATE_CODE	FATE of this catch. This indicates whether it was RETAINED, DISCARDED or ESCAPED, and any specific processing.	Char (3)	REFER TO APPENDIX 9 Only shark species can have a FATE as 'RFR' and 'DFR'.	<fate_code></fate_code>	Y		
COND_CODE	CONDITION of this catch on LANDING. Relevant for the Species of Special Interest.	Char (2)	REFER TO APPENDIX 10	<cond_code></cond_code>	Y		
COND_REL_CODE	CONDITION of this catch on RELEASE/DISCARD. Relevant for the Species of Special Interest.	Char (2)	REFER TO APPENDIX 10		Y		
LEN	Length (cm).	SmallInt	Refer to SPECIES RANGE table for these species	<len></len>	Y		
LEN_CODE	Length measurement code	Char (2)	REFER TO APPENDIX 11	<len_code></len_code>	Y		
WT	Weight (kgs) - must be measured weight and not a visual estimate	Decimal (5,1)		<wt></wt>	N		
WT_CODE	Weight code.	Char (2)	REFER TO APPENDIX 22	<wt_code></wt_code>	N		
SEX_CODE	SEX of fish	Char (1)	REFER TO APPENDEX 12	<sex_code></sex_code>	Y		
GSTAGE_CODE	GONAD STAGE CODE	Char (1)	REFER TO APPENDIX 23	<gstage_code></gstage_code>	N		
COMMENTS	Comments	NVarChar (40)		<comments></comments>	N		

2.6 SPECIES OF SPECIAL INTEREST DATA

(see 1.7 SPECIES OF SPECIAL INTEREST DATA)

2.7 SPECIES OF SPECIAL INTEREST DETAILS DATA

(see 1.8 SPECIES OF SPECIAL INTEREST DETAIL DATA)

2.8 TRIP MONITORING QUESTIONS

(see 1.11 TRIP MONITORING DATA)

2.9 TRIP MONITORING COMMENTS

(see 1.12 TRIP MONITORING COMMENTS)

2.10 VESSEL/AIRCRAFT SIGHTINGS DATA

(see 1.13 VESSEL/AIRCRAFT SIGHTINGS)

2.11 MARINE DEVICES DATA

(see 1.15 MARINE DEVICES DATA)

2.12 CREW DATA

	VES_CREW PROVIDE the summary details of VESSEL CREW by NATIONALITY on this TRIP.							
FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y			
CREW IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE + COUNTRY_CODE			<v_crew_id></v_crew_id>	Y			
COUNTRY_CODE	Nationality of the CREW	Char (2)	Refer to valid ISO two-letter Country Codes - ISO 3166 For example, refer to http://en.wikipedia.org/wiki/ISO 3166-1	<country_code></country_code>	Y			
CREWCOUNT	Total number of crew on board during the trip for this COUNTRY OF NATIONALITY	SmallInt		<crewcount></crewcount>	Y			



2.13 LONGLINE GEAR DATA

		т	L GEAR				
	PROVIDE information on the LONGLINE GEAR on the vessel.						
FIELD	PROVIDE 11	Field format	Ne LONGLINE GEAR on the vessel.	XML TAG	WCPFC		
FIELD	Data Collection Instructions	notes	validation rules	AND TAG	FIELD		
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<obstrip_id></obstrip_id>	Y		
LL GEAR IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE			<l_gear_id></l_gear_id>	Y		
MLINEHAUL_ANS	Mainline hauler (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<mlinehaul_ans></mlinehaul_ans>	Y		
MLINEHAUL_USAGE_CODE	Link to ref_usage table	Char (3)	REFER TO APPENDIX 21	<pre><mlinehaul_usage_code></mlinehaul_usage_code></pre>	Y		
MLINEHAUL_COMMENTS	Comments on Mainline Hauler	NVarChar (50)		<pre><mlinehaul_comments></mlinehaul_comments></pre>	N		
BLINEHAUL_ANS	Branchline hauler (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<blinehaul_ans></blinehaul_ans>	Y		
BLINEHAUL USAGE CODE	Link to ref usage table	Char (3)	REFER TO APPENDIX 21	<pre><blinehaul_usage_code></blinehaul_usage_code></pre>	Y		
BLINEHAUL COMMENTS	Comments on Branchline Hauler	NVarChar (50)		<pre><blinehaul_comments></blinehaul_comments></pre>	N		
LSHOOT_ANS	Line shooter (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<lshoot_ans></lshoot_ans>	Y		
LSHOOT USAGE CODE	Link to ref usage table	Char (3)	REFER TO APPENDIX 21	<lshoot_usage_code></lshoot_usage_code>	Y		
LSHOOT_COMMENTS	Comments on Line shooter	NVarChar (50)		<lshoot_comments></lshoot_comments>	N		
BAITTHR_ANS	Automatic bait thrower (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<baitthr_ans></baitthr_ans>	Y		
BAITTHR USAGE CODE	Link to ref usage table	Char (3)	REFER TO APPENDIX 21	<baitthr_usage_code></baitthr_usage_code>	Y		
BAITTHR_COMMENTS	Comments on Automatic Bait thrower	NVarChar (50)		<baitthr_comments></baitthr_comments>	N		
BRANCHATT_ANS	Automatic branchline attacher (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<branchatt_ans></branchatt_ans>	Y		
BRANCHATT USAGE CODE	Link to ref usage table	Char (3)	REFER TO APPENDIX 21	<pre><branchatt_usage_code></branchatt_usage_code></pre>	Y		
BRANCHATT_COMMENTS	Comments on Automatic Branchline attacher	NVarChar (50)		<pre><branchatt_comments></branchatt_comments></pre>	N		
WT_SCA_ANS	Weighing scales (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<wt_sca_ans></wt_sca_ans>	N		
WT_SCA_USAGE_CODE	Weighing scales USAGE	Char (3)	REFER TO APPENDIX 21	<wt_sca_usage_code></wt_sca_usage_code>	N		
WT_SCA_COMMENTS	Comments on Automatic B Weighing scales	NVarChar (50)		<wt_sca_comments></wt_sca_comments>	N		
MLINE COMP	Composition of mainline	NText		<mline_comp></mline_comp>	Y		
BLINE COMP	Composition of branchlines	NText		<bline_comp></bline_comp>	Y		
MLINE MAT	Mainline material	NVarChar (15)		<mline_mat></mline_mat>	Y		
MLINE MAT DESC	Mainline material description	NVarChar (50)		<mline_mat_desc></mline_mat_desc>	Y		
MLINE LEN	Mainline length (nm)	Decimal (5,1)		<mline_len></mline_len>	Y		
MLINE DIAM	Mainline diameter (mm)	Decimal (4,1)		<mline_diam></mline_diam>	Y		
BLINE_MAT1	Composition of branchlines (Material #1)	NVarChar (40)		<bline_mat1></bline_mat1>	Y		
BLINE MAT1 DESC	Branchlines (Material #1)	NVarChar (50)		<pre><bline_mat1_desc></bline_mat1_desc></pre>	Y		

LL_GEAR PROVIDE information on the LONGLINE GEAR on the vessel.

FIELD Data Collection Instructions		Field format	Validation rules	XML TAG	WCPFC
		notes			FIELD
	description				
BLINE_MAT2	Composition of branchlines (Material #2)	NVarChar (40)		<bline_mat2></bline_mat2>	Y
BLINE_MAT2_DESC	Branchlines (Material #2) description	NVarChar (50)		<bline_mat2_desc></bline_mat2_desc>	Y
BLINE_MAT3	Composition of branchlines (Material #3)	NVarChar (40)		<bline_mat3></bline_mat3>	Y
BLINE_MAT3_DESC	Branchlines (Material #3) description	NVarChar (50)		<bline_mat3_desc></bline_mat3_desc>	Y
WIRETRACE_ANS	Presence orf wire trace (Y/N)	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<wiretrace_ans></wiretrace_ans>	Y
SEAWATER_ANS	Refrigeration method - Sea water ?	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<seawater_ans></seawater_ans>	Y
BLASTFREEZER_ANS	Refrigeration method - blast freezer ?	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<blastfreezer_ans></blastfreezer_ans>	Y
ICE_ANS	Refrigeration method - Ice ?	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<ice_ans></ice_ans>	Y
CHILLEDSEAWATER_ANS	Refrigeration method - Chilled Sea water ?	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<chilledseawater_ans></chilledseawater_ans>	Y
OTHERSTORAGE_ANS	Refrigeration method - other ?	Char (1)	Must be 'Y', 'N' or 'X' (observer did not respond to this question)	<otherstorage_ans></otherstorage_ans>	Y
OTHERSTORAGE_DESC	Refrigeration method - other description	NVarChar (50)		<otherstorage_desc></otherstorage_desc>	Y
HKSJAPAN SIZE	Japanese hook size	NVarChar (50)		<hksjapan_size></hksjapan_size>	Y
HKSJAPAN PERC	% of Japanese hook	TinyInt		<hksjapan_perc></hksjapan_perc>	N
HKSJAPAN ORS	Japanese hook original size	NVarChar (5)		<hksjapan_ors></hksjapan_ors>	Y
HKSCIRCLE SIZE	Circle hook size	NVarChar (50)		<hkscircle_size></hkscircle_size>	Y
HKSCIRCLE PERC	% of Circle hook	TinyInt		<hkscircle_perc></hkscircle_perc>	N
HKSCIRCLE ORS	Circle hook original size	NVarChar (5)		<hkscircle_ors></hkscircle_ors>	Y
HKSJ SIZE	J hook size	NVarChar (50)		<hksj_size></hksj_size>	Y
HKSJ PERC	% of J hook size	TinyInt		<hksj_perc></hksj_perc>	N
HKSJ ORS	J hook original size	NVarChar (5)		<hksj_ors></hksj_ors>	Y
HKSOTH TYPE	Other hook types description	NVarChar (50)		<hksoth_type></hksoth_type>	Y
HKSOTH SIZE	Other hook type size	NVarChar (50)		<hksoth_size></hksoth_size>	Y
HKSOTH PERC	% of Other hook types	TinyInt		<hksoth_perc></hksoth_perc>	N
HKSOTH_ORS	Others types of hook original size	NVarChar (5)		<hksoth_ors></hksoth_ors>	Y
BLINE_MAT1_DIAM	Branchlines (Material #1) diameter	Decimal (4,1)		<bline_mat1_diam></bline_mat1_diam>	Y
BLINE_MAT2_DIAM	Branchlines (Material #2) diameter	Decimal (4,1)		<bline_mat2_diam></bline_mat2_diam>	Y

2.14 POLLUTION REPORT

(see <u>1.20 POLLUTION REPORT</u> and <u>1.21 POLLUTION DETAILS</u>)

2.15 OBSERVER JOURNAL

(see <u>1.22 OBSERVER JOURNAL</u>)



2.16 LONGLINE TRIP REPORT

LL TRIP REPORT

PROVIDE descriptive information on the trip.

FIELD	Data Collection Instructions	Field	int/OceanFish/en/publications/doc download/13:	XML TAG	WCPFC
FIEDD	Data Coffection Instructions	format notes	validation rules	AMII IAG	FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY			<obstrip_id></obstrip_id>	N
	or unique integer. NATURAL KEY would be				
	VESSEL + DEPARTURE DATE				
1_BACKGROUND	(Refer to relevant section in link above)	NText		<1_BACKGROUND>	N
2_0_CRUISE_SUMMARY	(Refer to relevant section in link above)	NText		<2_0_CRUISE_SUMMARY>	N
2_1_AREA_FISHED	(Refer to relevant section in link above)	NText		<2_1_AREA_FISHED>	N
2_2_END_OF_TRIP	(Refer to relevant section in link above)	NText		<2_2_END_OF_TRIP>	N
3_0_DATA_COLLECTED	(Refer to relevant section in link above)	NText		<3_0_DATA_COLLECTED>	N
3_1_OTHER_DATA_COLL	(Refer to relevant section in link above)	NText		<3_1_OTHER_DATA_COLL>	N
4_0_COC	Refer to relevant section in link above)	NText		<4_0_COC>	N
5_1_VESS_INFO	Refer to relevant section in link above)	NText		<5_1_VESS_INFO>	N
5_2_CREW_NATION	Refer to relevant section in link above)	NText		<5_2_CREW_NATION>	N
5_2_1_PIC	Refer to relevant section in link above)	NText		<5_2_1_PIC>	N
5_3_ELEC	Refer to relevant section in link above)	NText		<5_3_ELEC>	N
5_3_1_RADIO_BUOYS	Refer to relevant section in link above)	NText		<5_3_1_RADIO_BUOYS>	N
5 4 FISHING GEAR	Refer to relevant section in link above)	NText		<5 4 FISHING GEAR>	N
5 4 1 MAINLINE	Refer to relevant section in link above)	NText		<5 4 1 MAINLINE>	N
5 4 2 BRANCHLINES	Refer to relevant section in link above)	NText		<5 4 2 BRANCHLINES>	N
5 4 3 FLOATLINES	Refer to relevant section in link above)	NText		<5 4 3 FLOATLINES>	N
5 4 4 BLINE WTS	Refer to relevant section in link above)	NText		<5 4 4 BLINE WTS>	N
5 4 5 FISH HOOKS	Refer to relevant section in link above)	NText		<5 4 5 FISH HOOKS>	N
5 5 SAFETY EQ	Refer to relevant section in link above)	NText		<5 5 SAFETY EQ>	N
5 6 REGRIG	Refer to relevant section in link above)	NText		<5 6 REGRIG>	N
5 7 OTHER GEAR	Refer to relevant section in link above)	NText		<5 7 OTHER GEAR>	N
6 0 FISH STRATEGY	Refer to relevant section in link above)	NText		<6 0 FISH STRATEGY>	N
6 1 FISHERY INFO	Refer to relevant section in link above)	NText		<pre><6 1 FISHERY INFO></pre>	N
6 2 OCEAN FEATURES	Refer to relevant section in link above)	NText		<pre><6 2 OCEAN FEATURES></pre>	N
6 3 SET HAUL	Refer to relevant section in link above)	NText		<6 3 SET HAUL>	N
6 4 TARGET DEPTH	Refer to relevant section in link above)	NText		<6 4 TARGET DEPTH>	N
6 5 BAITING	Refer to relevant section in link above)	NText		<6 5 BAITING>	N
6 6 MITIGATION	Refer to relevant section in link above)	NText		<6 6 MITIGATION>	N
6 6 1 FISH OFFAL	Refer to relevant section in link above)	NText		<6 6 1 FISH OFFAL>	N
6 7 HAUL PROCESS	Refer to relevant section in link above)	NText		<6 7 HAUL PROCESS>	N
6 8 UNUSUAL SET	Refer to relevant section in link above)	NText		<pre><6 8 UNUSUAL SET></pre>	N
6 9 CHANGES SETS	Refer to relevant section in link above)	NText		<pre><6 9 CHANGES SETS></pre>	N
7 1 WEATHER	Refer to relevant section in link above)	NText		<7 1 WEATHER>	N
7 2 SEA COND	Refer to relevant section in link above)	NText		<7 2 SEA COND>	N
7 3 MOON PHASE	Refer to relevant section in link above)	NText		<7 3 MOON PHASE>	N
8 1 TARGET CATCH	Refer to relevant section in link above)	NText		<8 1 TARGET CATCH>	N
8_1_1_TARGET_PROC	Refer to relevant section in link above)	NText		<pre><8 1 1 TARGET PROC></pre>	N
	Refer to relevant section in link above)	NText			N
8_1_2_TARGET _DISC	verer co referant section in filly above)	MIEYC		<8_1_2_TARGET _DISC>	14

LL TRIP REPORT

PROVIDE descriptive information on the trip.

Refer to the relevant sections in http://www.spc.int/OceanFish/en/publications/doc download/1318-2014-11-trip-report

FIELD	Data Collection Instructions	Field format	Validation rules	XML TAG	WCPFC FIELD
		notes			
8 1 3 TARGET DAMAGE	Refer to relevant section in link above)	NText		< 8 1 3 TARGET DAMAGE>	N
8 2 1 OTHER TUN BILL	Refer to relevant section in link above)	NText		<8 2 1 OTHER TUN BILL>	N
8 2 2 SHARKS RAYS	Refer to relevant section in link above)	NText		<8 2 2 SHARKS RAYS>	N
8 2 3 OTHER BY-CATCH	Refer to relevant section in link above)	NText		<8 2 3 OTHER BY-CATCH>	N
8 3 UNSPEC SP CODES	Refer to relevant section in link above)	NText		<8 3 UNSPEC SP CODES>	N
8 4 1 SSI LAND	Refer to relevant section in link above)	NText		<8 4 1 SSI LAND>	N
8 4 2 SSI INTERACT	Refer to relevant section in link above)	NText		<8 4 2 SSI INTERACT>	N
8 4 3 SSI MAM	Refer to relevant section in link above)	NText		<8 4 3 SSI MAM>	N
8 4 4 SSI SIGHT	Refer to relevant section in link above)	NText		<8 4 4 SSI SIGHT>	N
9 0 TRANS	Refer to relevant section in link above)	NText		<9 0 TRANS>	N
10 1 TAGS	Refer to relevant section in link above)	NText		<10 1 TAGS>	N
10 2 STOMACH	Refer to relevant section in link above)	NText		<10 2 STOMACH>	N
10 3 OTHER	Refer to relevant section in link above)	NText		<10 3 OTHER>	N
11 0 TRIP MON	Refer to relevant section in link above)	NText		<11 0 TRIP MON>	N
11 1 CLARIFY	Refer to relevant section in link above)	NText		<11 1 CLARIFY>	N
11 2 RECOMMEND	Refer to relevant section in link above)	NText		<11 2 RECOMMEND>	N
11_3_CREW_INFO	Refer to relevant section in link above)	NText		<11_3_CREW_INFO>	N
11_4_MEDICAL	Refer to relevant section in link above)	NText		<11_4_MEDICAL>	N
11_5_PHOTOS	Refer to relevant section in link above)	NText		<11_5_PHOTOS>	N
11_6_OTHER INFO	Refer to relevant section in link above)	NText		<11_6_OTHER INFO>	N
12_0_VESS _DATA	Refer to relevant section in link above)	NText		<12_0_VESS _DATA>	N
13_0_GENERAL	Refer to relevant section in link above)	NText		<13_0_GENERAL>	N
14_0_PROBS	Refer to relevant section in link above)	NText		<14_0_PROBS>	N
14_1_FORM_CH_RECS	Refer to relevant section in link above)	NText		<14_1_FORM_CH_RECS>	N
15_0_CONCL	Refer to relevant section in link above)	NText		<15_0_CONCL>	N
16 0 ACKS	Refer to relevant section in link above)	NText		<16 0 ACKS>	N

APPENDICES

APPENDIX A1 - DATE/TIME FORMAT

The DATE/TIME formats must adhere to the following standard:
ISO 8601 - Dates and times format – both local and UTC dates

[YYYY]-[MM]-[DD]T[HH]:[MM]Z for fields designated as UTC date/time

[YYYY]-[MM]-[DD]T[HH]:[MM] for fields designated as LOCAL date/time

APPENDIX A2 - POSITION/COORDINATE FORMAT

The Latitude and Longitude coordinates must adhere to the ISO 6709 – Positions Degrees and minutes to 3 decimal places

LATITUDE +/- DDMM.MMM LONGITUDE +/- DDDMM.MMM

APPENDIX A3 - PORT LOCATION CODES

The PORT LOCATION Codes must adhere to the UN/LOCODE standard UPPERCASE CHAR(5) United Nations - Code for Trade and Transport Locations (UN/LOCODE) – see http://www.unece.org/cefact/locode/service/location

APPENDIX A4 - VESSEL IDENTIFICATION

The attributes to be provided for the VESSEL needs to be consistent with several VESSEL registers at the global and regional level. The most important are the proposed IMO/UVI standard vessel identifier (UVI), the WCPFC vessel register and the FFA Vessel register.

FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
VESSEL NAME		CHAR(30) UPPER CASE	Must be consistent with the WCPFC and FFA Vessel Registers	<vesselname></vesselname>	Y
COUNTRY OF VESSEL REGISTRATION		CHAR(2) ISO 3166-1 alpha-2 two-letter country code UPPER CASE	ISO 3166-1 alpha-2 two-letter country code Must be consistent with the WCPFC and FFA Vessel Registers Country of registration is distinct from the chartering nation, where relevant	<countryreg></countryreg>	Y
VESSEL REGISTRATION NUMBER	PROVIDE the VESSEL attributes which should be consistent with the	CHAR (20) UPPER CASE	Must be consistent with the WCPFC and FFA Vessel Registers	<regno></regno>	Y
FFA VESSEL REGISTER NUMBER	attributes stored in the WCPFC and FFA Regional Vessel Registers	INTEGER(5)	Must be consistent with the FFA Vessel Register	<ffavid></ffavid>	N
WCPFC RFV VID		INTEGER (10)	Must be consistent with the WCPFC RFV	<win></win>	Y
UNIVERSAL VESSEL IDENTIFIER (UVI)		INTEGER(10)	Must be consistent with the WCPFC and FFA Vessel Registers	<imo_uvi></imo_uvi>	N
VESSEL INTERNATIONAL CALLSIGN		CHAR(10) UPPER CASE	Must be consistent with the WCPFC and FFA Vessel Registers	<ircs></ircs>	Y

APPENDIX A5 - PURSE SEINE OBSERVER ACTIVITY CODES

S_ACTIV_ID	Description	FAD reference (to record BEACON field)	FORM Code version (old)
1	Set	YES	1
2	Searching		2
3	Transit		3
4	No fishing - Breakdown		4
5	No fishing - Bad weather		5
6	In port - please specify		6
7	Net cleaning set		7
8	Investigate free school		8
9	Investigate floating object	YES	9
10	Deploy - raft, FAD or payao	YES	10D
11	Retrieve - raft, FAD or payao	YES	10R
12	No fishing - Drifting at day's end		11
13	No fishing - Drifting with floating object	YES	12
14	No fishing - Other reason (specify)		13
15	Drifting -With fish aggregating lights	YES	14
16	Retrieve radio buoy	YES	15R
17	Deploy radio buoy	YES	15D
18	Transhipping or bunkering		16
19	Servicing FAD or floating object	YES	17
20	Helicoptor takes off to search		H1
21	Helicopter returned from search		H2

APPENDIX A6 - PURSE SEINE TUNA SCHOOL ASSOCIATION CODES

S_ACTIV_ID	Description	SCHOOL TYPE CATEGORY
1	Unassociated (free school)	UNASSOCIATED
2	Feeding on Baitfish (free school)	UNASSOCIATED
3	Drifting log, debris or dead animal	ASSOCIATED
4	Drifting raft, FAD or payao	ASSOCIATED
5	Anchored raft, FAD or payao	ASSOCIATED
6	Live whale	ASSOCIATED
7	Live whale shark	ASSOCIATED
8	Other (please specify)	
9	No tuna associated	

APPENDIX A7 – PURSE SEINE TUNA SCHOOL DETECTION CODES

DETON_ID	Description
1	Seen from vessel
2	Seen from helicopter; Use when vessel gets to the school of tuna that helicopter either: 1. reported on; or 2. dropped buoy on.
3	Marked with beacon
4	Bird radar
5	Sonar / depth sounder
6	Info. from other vessel
7	Anchored FAD / payao (recorded)

APPENDIX A8 - SPECIES CODES

Refer to the FAO three-letter species codes:

http://www.fao.org/fishery/collection/asfis/en

APPENDIX A9 - OBSERVER FATE CODES

FATE CODE	DESCRIPTION
DCF	Discarded - Line cut or Other
DDL	Discarded - Difficult to land
DFR	Discarded - fins removed and trunk discarded
DFW	Discarded - Discarded from well
DGD	Discarded - Gear damage
DNS	Discarded - No space in freezer
DOR	Discarded - other reason (specify)
DPA	Discarded - Protected species - Alive
DPD	Discarded - Protected species - Dead
DPQ	Discarded - poor quality
DPS	Discarded - protected species (e.g. turtles)
DPU	Discarded - Protected Species - Condition unknown
DSD	Discarded - Shark damage
DSO	Discarded - rejected (struck off before landing)
DTS	Discarded - too small
DUS	Discarded - Undesirable species
DVF	Discarded - Vessel fully loaded
DWD	Discarded - Whale damage
ESC	Escaped
RCC	Retained - Crew Consumption
RFL	Retained - Filleted
RFR	Retained - fins removed and trunk retained
RGG	Retained - gilled and gutted (retained for sale)
RGO	Retained - gutted only
RGT	Retained - gilled gutted and tailed (for sale)
RHG	Retained - headed and gutted (Marlin)
RHT	Retained - Headed, gutted and tailed
RMD	Retained - fins removed/trunk retained (MANDATORY)
ROR	Retained - other reason (specify)
RPT	Retained - partial (e.g. fillet, loin)
RSD	Retained - Shark damage
RTL	Retained - Tailed
RWD	Retained - Whale Damage
RWG	Retained - Winged
RWW	Retained - whole
UUU	Unknown - not observed

APPENDIX A10 - OBSERVER CONDITION CODES

CONDITION CODE	Description
A0	Alive but unable to describe condition
A1	Alive and healthy
A2	Alive, but injured or distressed
A3	Alive, but unlikely to live
A4	Entangled, okay
A5	Entangled, injured
A6	Hooked, externally, injured
A7	Hooked, internally, injured
A8	Hooked, unknown, injured
D	Dead
D1	Entangled, dead
D2	Hooked, externally, dead
D3	Hooked, internally, dead
D4	Hooked, unknown, dead
U	Condition, unknown
U1	Entangled, unknown condition
U2	Hooked, externally, condition unknown
U3	Hooked, internally, condition unknown
U4	Hooked, unknown, condition unknown

APPENDIX A11 - LENGTH CODES

Length	
Code	Description
AN	Anal fin length
BL	Bill to fork in tail
CC	Curved Carapace Length
СК	Cleithrum to anterior base caudal keel
CL	carapace length (turtles)
CW	Carapace width
CX	Cleithrum to caudal fork
EO	Posterior eye orbital to caudal fork
EV	Posterior eye orbital to cadda fork Posterior eye orbital to vent
FF	1st dorsal to fork in tail
FN	Weight of all fins (sharks)
FS	1st dorsal to 2nd dorsal
FW	Fillets weight
GF	Gilled, gutted, headed, flaps removed
GG	Gilled and gutted weight
GH	Gutted and headed weight
GI	Girth
GO	Gutted only (gills left in)
GT	Gilled, gutted and tailed
GX	Gutted, headed and tailed
LF	lower jaw to fork in tail
NM	not measured
OW	Observer's Estimate
PF	pectoral fin to fork in tail
PS	Pectoral fin to 2nd dorsal
SC	Straight Carapace Length
SL	Tip of snout to end of caudal peduncle
TH	Body Thickness (Width)
TL	tip of snout to end of tail
TW	total width (tip of wings - rays)
UF	upper jaw to fork in tail
US	Upper jaw to 2nd dorsal fin
ww	Whole weight
** **	AALIOIC AACIBLIC

APPENDIX A12 - SEX CODES

Sex Code Description F Female I Indeterminate (checked but unsure) M Male U Unknown (not checked)		
I Indeterminate (checked but unsure) M Male	Sex Code	Description
M Male	F	Female
	1	Indeterminate (checked but unsure)
U Unknown (not checked)	M	Male
	U	Unknown (not checked)

APPENDIX A13 - Vessel activity (SSI interaction) codes

Activity Code for interaction	Description
1	SETTING
2	HAULING
3	SEARCHING
4	TRANSITING
5	OTHER

APPENDIX A14 - SIZE and SPECIES COMPOSIION SAMPLE PROTOCOL

Sample	
Type	Description
R	Random (GRAB) sample
S	SPILL sample
В	Bycatch only sampling
F	Small-fish only sampling
0	Other type of sampling protocol (please specify)

APPENDIX A15 - MEASURING INSTRUMENTS Codes

Measure	
Code	Description
В	BOARD
С	CALLIPER - ALUMINIUM
E	EYE
R	RULER
Т	TAPE
U	UNKNOWN
W	CALLIPER - WOOD

APPENDIX A16 - TRIP MONITORING QUESTION Codes

QUESTION	Description	WCPFC Question
CODE	·	
RS-A	Did the operator or any crew member assault, obstruct, resist, delay, refuse boarding to, intimidate or interefere with observers in the performance of their duties	Y
RS-B	Request that an event not be reported by the observer	Υ
RS-C	Mistreat other crew	N
RS-D	Did operator fail to provide observer with food, accommodation, etc.	Υ
NR-A	Fish in areas where the vessel is not permitted to fish	Υ
NR-B	Target species other than those they are licenced to target	N
NR-C	Use a fishing method other than the method the vessel was designed or licensed	Υ
NR-D	Not display or present a valid (and current) licence document onboard	N
NR-E	Transfer or transship fish from or to another vessel	Υ
NR-F	Was involved in bunkering activities	N
NR-G	Fail to stow fishing gear when entering areas where vessel is not authorised to fish	Υ
WC-A	Fail to comply with any Commission Conservation and Management Measures (CMMs)	Υ
WC-B	High-grade the catch	Υ
WC-C	Fish on FAD during FAD Closure	N
LP-A	Inaccurately record vessel position on vessel log sheets for sets, hauling and catch	Υ
LP-B	Fail to report vessel positions to countries where required	Υ
LC-A	Inaccurately record retained 'Target Species' in the Vessel logs [or weekly reports]	Υ
LC-B	Inaccurately record 'Target Species' Discards	Υ
LC-C	Record target species inaccurately [eg. combine bigeye/yellowfin/skipjack catch]	Y
LC-D	Not record bycatch discards	N
LC-E	Inaccurately record retained bycatch Species	Υ
LC-F	Inaccurately record discarded bycatch species	Υ
SI-A	Land on deck Species of Special Interest (SSIs)	N
SI-B	Interact (not land) with SSIs	Υ
PN-A	Dispose of any metals, plastics, chemicals or old fishing gear	Υ
PN-B	Discharge any oil	Υ
PN-C	Lose any fishing gear	Υ
PN-D	Abandon any fishing gear	Υ
PN-E	Fail to report any abandoned gear	Υ
SS-A	Fail to monitor international safety frequencies	Υ
SS-B	Carry out-of-date safety equipment	N

APPENDIX A17 - VESSEL / AIRCRAFT SIGHTINGS Codes

CODE	Description	
1	SINGLE PURSE SEINE	
2	LONGLINE	
3	POLE AND LINE	
4	MOTHERSHIP	
5	TROLL	
6	NET BOAT	
7	BUNKER	
8	SEARCH, ANCHOR OR LIGHT BOAT	
9	FISH CARRIER	
10	TRAWLER	
11	LIGHT AIRCRAFT	
12	HELICOPTER	
13	OTHER	

APPENDIX A18 - ACTION Codes

Action		
Codes	Description	FORM Used
AG	Aground	GEN6
BG	Bunkering (transfer of fuel), vessel observer is on is GIVING	GEN1, GEN6
BR	Bunkering (transfer of fuel), vessel observer is on is RECEIVING	GEN1, GEN6
CR	Retained from a set solely because of catch-retention rules	PS5
DF	Dumping of fish	GEN1
DS	Discarded into the sea	PS5
FI	Fishing	GEN1, GEN6
FO	Fish On-board	PS5
FS	From set	PS5
NF	Not fishing	GEN1
OG	Other, vessel observer is on is GIVING	GEN1
OR	Other, vessel observer is on is RECEIVING	GEN1
PF	Possibly fishing	GEN1
SG	Set sharing, vessel observer is on is GIVING	GEN1
SR	Set sharing, vessel observer is on is RECEIVING	GEN1,PS5
TG	Transferring fish between vessels, vessel observer is on is GIVING	GEN1,PS5, GEN6
TR	Transferring fish between vessels, vessel observer is on is RECEIVING	GEN1,PS5, GEN6
UL	Unloaded at cannery or cool store PS5	
WT	Transferred between wells	PS5

GEN1 – Vessel / Aircraft sightings GEN6 – Pollution Report PS-5 – Purse seine Well transfer

APPENDIX A19 - Purse seine CREW JOB Codes

CODE	Description
1	CAPTAIN
2	NAVIGATOR/MASTER
3	MATE
4	CHIEF ENGINEER
5	ASSISTANT ENGINEER
6	DECK BOSS
7	СООК
8	HELICOPTER PILOT
9	SKIFF MAN
10	WINCH MAN
11	HELICOPTER MECHANIC
12	CREW
13	NAVIGATOR
14	FISHING MASTER
15	RADIO OPERATOR
16	TRANSLATOR

APPENDIX A20 - MARINE DEVICES Codes

6 1	5	WCPFC	GEAR LIST
Code	Description	FIELD	CODES
1	BATHYTHERMOGRAPH MBT	YES	
2	BIRD RADAR	YES	SP
3	CHART PLOTTER	YES	LSP
4	DEPTH SOUNDER	YES	LSP
5	DOPPLER CURRENT MONITOR	YES	
6	SATELLITE BUOY	YES	S
7	FISHERY INFORMATION SERVICES	YES	LSP
8	GPS	YES	LSP
9	NAVIGATIONAL RADAR #1	YES	LP
10	RADIO BUOYS - CALL-UP	YES	LSP
11	RADIO BUOYS - NON CALL-UP	YES	LSP
12	RADIO BEACON DIRECTION FINDER	YES	LSP
13	SATELLITE - HF TELEX	YES	
14	SEA SURFACE TEMP. GAUGE	YES	LP
15	SONAR	YES	LSP
16	HF RADIO TELEPHONE	YES	
17	SMART-LINK PHONE	YES	
18	TRACK PLOTTER	YES	LSP
19	VESSEL MONITORING SYSTEM (VMS)	YES	LSP
20	WEATHER FACSIMILE	YES	LP
21	WEATHER SATELLITE MONITOR	YES	
22	NET SOUNDER		LSP
23	BINOCULARS		Р
24	ECHO SOUNDING BUOY		S
25	EPIRB		

APPENDIX A21 - DEVICE USAGE codes

Code	Description	
	Not mentioned	
ALL	used all the time for fishing	
BRO	broken now but used normally	
NA	Not applicable / Not filled	
NOL	no longer ever used	
OIF	used only in transit	
RAR	used rarely	
SIF	used often but only in fishing	
TRA	used all the time	

APPENDIX A22 - WEIGHT MEASUREMENT codes

Weight measurement	
code	Description
CW	Captain's Estimate
FN	Weight of all fins (sharks)
FW	Fillets weight
GF	Gilled, gutted, headed, flaps removed
GG	Gilled and gutted
GH	Gutted and headed
GO	Gutted only (gills left in)
GT	Gilled, gutted and tailed
GX	Gutted, headed and tailed
NM	Not measured
OW	Observer's Estimate
TW	Trunk weight
WW	Whole weight

APPENDIX A23 - GONAD STAGE codes

Gonad		
stage		
code	Short description	Description
N	No information	No information
I	Immature	Ovary small and slender. Cross-section round
E	Early Maturing	Enlarged, pale yellow ovaries. Ova not visible.
L	Late Maturing	Enlarged, turgid, orange-yellow ovaries. Ova opaque
		Enlarged, richly vascular, orange ovaries, losing turgidity.
M	Mature	Ova translucent.
		Greatly enlarged ovaries, not turgid. Ova easily dislodged
R	Ripe	and extruded by pressure.
		Flaccid, vascular ovaries. Most ova gone. Often dark
S	Spent	orange-red coloration.
R	Recovering	Vascular ovaries. Next batch of ova developing.

APPENDIX A24 - FAD ORIGIN codes

FAD ORIGIN CODE	Description
CODE	•
1	Your vessel deployed this trip
2	Your vessel deployed previous trip
3	Other vessel (owner consent)
4	Other vessel (no owner consent)
5	Other vessel (consent unknown)
6	Drifting and foudn by your vessel
7	Deployed by FAD auxillary vessel
8	Origin unknown
9	Other origin

APPENDIX A25 - FAD DETECTION codes

FAD DETECTION CODE	Description
1	Seen from Vessel (no other method)
2	Seen from Helicopter
3	Marked with Radio beacon
4	Bird Radar
6	Info. from other vessel
7	Anchored (GPS)
8	Marked with Satellite Beacon
9	Navigation Radar
10	Lights
11	Flock of Birds sighted from vessel
12	Other (please specify)
13	Vessel deploying FAD (not detected)

APPENDIX A26 - FAD MATERIAL codes

FAD MATERIAL	
CODE	Description
1	Logs, Trees or debris tied together
2	Timber/planks/pallets/spools
3	PVC or Plastic tubing
4	Plastic drums
5	Plastic Sheeting
6	Metal Drums (i.e. 44 gallon)
7	Philippines design drum FAD
8	Bamboo/Cane
9	Floats/Corks
10	Unknown (describe)
11	Chain, cable rings, weights
12	Cord/rope
13	Netting hanging underneath FAD
14	Bait containers
15	Sacking/bagging
16	Coconut fronds/tree branches
17	Other (describe)

APPENDIX A27 - FAD TYPE codes

FAD TYPE	
CODE	Description
1	Man made object (Drifting FAD)
2	Man made object (Non FAD)
3	Tree or log (natural, free floating)
4	Tree or logs (converted into FAD)
5	Debris (flotsam bunched together)
6	Dead Animal (specify; i.e. whale, horse, etc.)
7	Anchored Raft, FAD, or Payao
8	Anchored Tree or Logs
9	Other (please specify)
10	Man made object (Drifting FAD)-changed

APPENDIX A28 - POLLUTION GEAR codes

POLLUTION GEAR	
CODE	DESCRIPTION
1	Lost during fishing
2	Abandoned
3	Dumped

APPENDIX A29 - POLLUTION MATERIALS codes

POLUTION	
MATERIALS CODES	DESCRIPTION
1	Plastics
2	Metals
3	Waste Oils
4	Chemicals
5	Old fishing gear
6	General garbage

APPENDIX A30 - POLLUTION SOURCE codes

POLLUTION	
SOURCE CODES	DESCRIPTION
1	Vessel Aground/Collision
2	Vessel at Anchor/Bearth
3	Vessel Underway
4	Land Based Source
5	Other

APPENDIX A31 - POLLUTION TYPE codes

POLLUTION TYPE	
CODES	DESCRIPTION
1	Waste dumped overboard
2	Oil splillages and leakages
3	Abandoned or Lost Fishing Gear

Attachment 5

 $\hbox{CONSULTATION DOCUMENT: DRAFT-SSPs FOR ELECTRONIC REPORTING IN THE WCPFC_ as amended by ER and EMWG1 \\$

Attachment 3B. Electronic data standard to be used for Paragraph 3 and Annex 1 of Scientific Data to be Provided to the Commission

Western and Central Pacific Fisheries Commission (WCPFC)

E-REPORTING STANDARD DATA FIELDS

OPERATIONAL LOGSHEET DATA

Draft - Version 2.0

7th June 2015

Contents

INTRO	DUCTION	
1 DUDG	SE SEINE LOGBOOK E-REPORTING STANDARDS	
1.PUKS	SE SEINE LOGBOOK E-KEPOKTING STANDAKDS	3
1.1	DATA MODEL DIAGRAM	
1.2	PURSE SEINE TRIP-LEVEL DATA	
1.3	LICENSE/PERMIT DATA	6
1.4	PS UNLOADING DATA	
1.5	PS ACTIVITY DATA	The state of the s
1.6	PS SET LEVEL DATA	
1.7	PS CATCH DATA	
1.8	PS DISCARD DATA	
1.9	PS WELL TRANSFER DATA	
2.LONG	GLINE LOGBOOK E-REPORTING STANDARDS	
2.1	DATA MODEL DIAGRAM	1/
2.2	LONGLINE TRIP-LEVEL DATA	
2.3	LICENSE/PERMIT DATA	
2.4	LL ACTIVITY/SET DATA	
2.5	LL CATCH DATA	
APPEN	IDICES	20
ADDE	ENDIX A1 – DATE/TIME FORMAT	20
	ENDIX A2 – POSITION/COORDINATE FORMAT	
	ENDIX A3 – PORT LOCATION CODES	
	ENDIX A5 – PURSE SEINE OBSERVER ACTIVITY CODESENDIX A6 – PURSE SEINE TUNA SCHOOL ASSOCIATION CODES	
	ENDIX A5 – PORSE SEINE TUNA SCHOOL ASSOCIATION CODES	
	ENDIX A7 – SPECIES CODES	
APPE	INDIA AO - FUNJE JEINE REAJUN FUR DIJUARD	

INTRODUCTION

These tables set out the proposed standards for the provision of operational logsheet data fields collected in the WCPFC tropical purse seine fishery and the longline fisheries through E-Reporting. These tables provide the minimum requirements for data entities, data formats and data validation to be established for data submitted to the national and regional fisheries authorities from E-Reporting systems. The data fields contained herein are based on information collected under the current regional standard data collection forms. This document acknowledges that national fisheries authorities require data (e.g. licence/permit numbers and for anticipated Catch Documentation System – CDS – requirements) that are not mandatory WCPFC data fields, so a column in these tables identifies whether the data field is a mandatory WCFPC data field¹ or not.

These E-Reporting data field standards are consistent with, and should be considered in conjunction with more detailed instructions² on how to collect LOGBOOK data provided by SPC.

These tables are intended for, *inter alia*, E-Reporting service providers who have been contracted to provide electronic systems to record LOGBOOK information on-board purse seine vessels.

¹ The mandatory WCPFC data fields for operational LOGBOOK data are found in the "Scientific Data to be provided to the Commission - Attachment K, Annex 1. Standards for the Provision of Operational Level Catch and Effort Data"


 $[\]frac{http://www.wcpfc.int/system/files/Scientific%20Data%20to%20be%20Provided%20to%20the%20Commission%20-w20decision%20made%20by%20WCPFC10%20%28clean%29.pdf}{}$

In addition to the WCPFC LOGBOOK data fields requirements, instructions for LOGBOOK data collection in the WCPFC Area are available with the regional standard observer data collection forms at http://www.spc.int/oceanfish/en/data-collection/241-data-collection-forms.

1. PURSE SEINE LOGBOOK E-REPORTING STANDARDS

1.1 DATA MODEL DIAGRAM

The following basic data model diagram outlines the structure of the entities and their relationships for purse seine operational logsheet data collected by E-Reporting systems and submitted to national and regional fisheries authorities. The tables that follow provide more information on the mechanisms of the links (relationships) between the entities.



1.2 PURSE SEINE TRIP-LEVEL DATA

PS TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL IDENTIFIER +				<trip_id></trip_id>	
VESSEL IDENIFIER	DEPARTURE DATE		REFER TO APPENDIX A4			
COUNTRY OF CHARTER	PROVIDE the Country responsible for chartering the vessel, where relevant. This only applies if the vessel has been chartered according to the requirements under WCFPC CMM 2012-05 - chartering notifications.	CHAR(2) ISO 3166-1 alpha-2 two-letter country code UPPER CASE	ISO 3166-1 alpha-2 two-letter country code This field must be completed if it has been listed as a chartered vessel on the WCFFC web site according to the requirements under WCFPC CMM 2012-05 - chartering notifications.	CS	<charter></charter>	Y
AGENT FOR UNLOADING	PROVIDE the name of the Agent for the Unloading	CHAR (50)	Where possible, link this field to a reference table of authorised Agents for unloading. (referential integrity)	AN	<agent></agent>	N
TRIP NUMBER	PROVIDE the trip number undertaken by this vessel for the year. Trip number is sequential, starting at 1 for first trip of the year for each vessel.	INTEGER (2)		TN	<tripno></tripno>	N
PORT OF DEPARTURE	PROVIDE the Port of Departure	REFER TO APPENDIX A3	Must be valid United Nations - Code for Trade and Transport Locations (UN/LOCODE) - see http://www.unece.org/cefact/locode/service/location	PE	<portdepart></portdepart>	Y
PLACE OF UNLOADING	PROVIDE the Port of Return for Unloading	REFER TO APPENDIX A3	Must be valid United Nations - Code for Trade and Transport Locations (UN/LOCODE)	PO	<portunload></portunload>	Y
DATE and TIME OF DEPARTURE	PROVIDE the GMT/UTC DATE and TIME of departure for this	REFER TO APPENDIX A1	ISO 8601 - Dates and times format The chronology of Departure date with respect to Date of	SD ST	<datedepart> <timedepart></timedepart></datedepart>	Y

PS TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPFC FIELD
	trip		arrival in port and the Days at sea must be valid.			
DATE AND TIME OF ARRIVAL IN PORT	PROVIDE the GMT/UTC DATE and TIME of arrival back in port for this trip	REFER TO APPENDIX A1	ISO 8601 - Dates and times format The chronology of Arrival date with respect to Date of Departure and the Days at sea must be valid.	ED ET	<pre><datearrival< td=""><td>Y</td></datearrival<></pre>	Y
FISH ONBOARD - START	PROVIDE the total amount of fish on-board at the time of leaving port on this trip.	NUMBER (4)	WARNING: Should be a realistic amount. For example, having catch >200 t. would be unrealistic?	QS	<amountstart></amountstart>	N
FISH ONBOARD - END	PROVIDE the total amount of fish on-board AFTER ALL UNLOADINGs have been undertaken before the next trip.	NUMBER (4)	WARNING: Should be a realistic amount. For example, having catch >200 t. would be unrealistic? Having catch greater than what was caught on the trip is not possible.	QE	<pre><amountafter></amountafter></pre>	N

1.3 LICENSE/PERMIT DATA

			LICENSE			
FIELD	PROVIDE each LICENSE/ Data Collection Instructions	Field format	the vessel holds for the period of the trip. Validation rules	NAF	XML TAG	WCPFC
		notes		CODE		FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE				<trip_id></trip_id>	
FISHING PERMIT/LICENSE NUMBERS	PROVIDE License/Permit number that the vessel holds for the period of the TRIP.	CHAR(40) UPPER CASE	Where possible, include validation to ensure the Permit format relevant to the agreement (national or subregional) complies to the required format.	LC	<license_n O></license_n 	N

1.4 PS UNLOADING DATA

PS UNLOADING

PROVIDE information for TRIP UNLOADING INFORMATION which covers one or several unloading events during or at the end of the trip to (i) carriers, (ii) on-shore processing plants (Canneries) and/or (iii) a net-share event with another catcher vessel

FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>	
UNLOADING START DATE	PROVIDE the start date for this specific Unloading event	REFER TO APPENDIX A1	ISO 8601 - Dates and times format GMT/UTC time [YYYY] - [MM] - [DD] T [HH] : [MM] Z The chronology of Unload Start date with respect to other dates for the trip and unloading must be valid.	SD	<startdate></startdate>	N
UNLOADING END DATE	PROVIDE the end date for this specific Unloading event	REFER TO APPENDIX A1	ISO 8601 - Dates and times format GMT/UTC time [YYYY]-[MM]-[DD]T[HH]:[MM]Z The chronology of Unload End date with respect to other dates for the trip and unloading must be valid.	ED	<enddate></enddate>	N
CARRIER VESSEL IDENTIFIER			REFER TO APPENDIX A4 SSEL for this specific Unloading event. Note that for NET-SHARE event, PROVIDE the FFA VID for the CARRIER vessel. Must be consistent			FFA
CANNERY/ DESTINATION	If relevant, PROVIDE the receiving CANNERY/DESTINATION for this specific Unloading event.	CHAR (40) UPPER CASE	Where possible, link this field to a reference table of authorised Canneries/Destinations (referential integrity)	FD FN	<pre><destination></destination></pre>	N
SKJ UNLOADED	PROVIDE the total weight (metric tonnes) of SKIPJACK unloaded in this specific Unloading event	DECIMAL(7,3)		DQ	<unloadskj></unloadskj>	N
YFT UNLOADED	PROVIDE the total weight (metric tonnes) of YELLOWFIN unloaded in this specific Unloading event	DECIMAL(7,3)	CONTROL TOTAL CHECK: Total amounts for this trip should reconcile checking total trip catch, catch on-board at start,	DQ	<unloadyft></unloadyft>	N
BET UNLOADED	PROVIDE the total weight (metric tonnes) of BIGEYE unloaded in this specific Unloading event	DECIMAL(7,3)	catch on-board at end and all unloading events.	DQ	<unloadbet></unloadbet>	N
MIXED TUNA UNLOADED	PROVIDE the total weight (metric tonnes) of MIXED TUNA unloaded in this specific Unloading event	DECIMAL(7,3)		DQ	<unloadmix></unloadmix>	N

PS UNLOADING

PROVIDE information for TRIP UNLOADING INFORMATION which covers one or several unloading events during or at the end of the trip to (i) carriers, (ii) on-shore processing plants (Canneries) and/or (iii) a net-share event with another catcher vessel

FIELD	Data Collection	Field format	Validation rules	NAF	XML TAG	WCPFC
	Instructions	notes		CODE		FIELD
OTHERS UNLOADED	PROVIDE the total weight	DECIMAL(7,3)		DQ	<unloadoth></unloadoth>	N
	(metric tonnes) of OTHERS					
	unloaded in this specific					
	Unloading event					
REJECTS	PROVIDE the total weight	DECIMAL(7,3)		RT	<unloadrej></unloadrej>	N
UNLOADED	(metric tonnes) of REJECTED					
	TUNA unloaded in this					
	specific Unloading event					

1.5 PS ACTIVITY DATA

			PS ACTIVITY			
		PROVIDE info	rmation on the designated activities for each DAY AT SEA			
FIELD	Data Collection	Field format	Validation rules	NAF	XML TAG	WCPFC
	Instructions	notes		CODE		FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>	
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY				<activity_id></activity_id>	
DATE	PROVIDE the DATE for each day that the vessel is at sea.	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE	DA	<date_event></date_event>	Y
START TIME OF ACTIVITY	PROVIDE the time when the ACTIVITY started	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE	ST	<time_event></time_event>	Y
LATITUDE	PROVIDE the LATITUDE position when the ACTIVITY started	REFER TO APPENDIX A2	Expect to be automatically integrated/generated with GPS DEVICE	LT	<lat> <lath></lath></lat>	Y
LONGITUDE	PROVIDE the LONGITUDE position when the ACTIVITY started	REFER TO APPENDIX A2	Expect to be automatically integrated/generated with GPS DEVICE	LG	<lon> <lonh></lonh></lon>	Y
ACTIVITY	PROVIDE each new ACTIVITY of the vessel within the DAY	REFER TO APPENDIX A5	The code must be within the valid range. Ensure relational integrity for certain values, for example, "1 - Fishing Set" must link to a SET record and perhaps to other tables	AT	<s_act_id></s_act_id>	У
			"8 - Non-Set Well Transfer" must link to a WELL_TRANSFER record			

1.6 PS SET LEVEL DATA

			D.C. CEM			
			PS_SET			
	<u>, </u>	· · · · · · · · · · · · · · · · · · ·	PROVIDE information for each FISHING SET			
FIELD	Data Collection Instructions	Field format	Validation rules	NAF	XML TAG	WCPFC FIELD
TRIP IDENTIFIER		notes	Link to TRIP information		<trip_id></trip_id>	
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY		Link to ACTIVITY (SET)		<activity_id></activity_id>	
START DATE/TIME OF SET	PROVIDE the start time of the set which is defined at the time the SKIFF is launched.	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE The chronology of SET START TIME with respect to other dates/times for the trip must be valid.	ST	<setstart></setstart>	Y
END DATE/TIME OF SET	PROVIDE the end time of the set which is defined as the time when the "RINGS UP" ON DECK.	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE The chronology of SET END TIME with respect to other dates/times for the trip must be valid.	ET	<setend></setend>	Y
SCHOOL ASSOCIATION	PROVIDE the School Associated Code	REFER TO APPENDIX A6	The code must be within the valid range.	SA	<school></school>	Y
SCHOOL ASSOCIATION NOTE	PROVIDE information of the SCHOOL ASSOCIATION in cases where the school association is not covered in the list of School association codes 1. To 7.	VARCHAR (30)	Used only when the SCHOOL ASSOCIATION = 8	SA	<sch_note></sch_note>	Y

1.7 PS CATCH DATA

	PS_CATCH								
	PROVIDE in	nformation of	n each species catch RETAINED from a SET						
FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>				
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY		Link to ACTIVITY (SET)		<activity_id></activity_id>				
SET IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF SET		Link to PS_SET		<ps_set_id></ps_set_id>				
SPECIES CODE	For each species taken in the set and RETAINED, PROVIDE the SPECIES CODE according to the FAO standard species code list	CHAR (3)	REFER TO APPENDIX 7.	DC	<sp_code></sp_code>	Y			
SIZE CATEGORY	For Yellowfin (YFT) and Bigeye tuna (BET) RETAINED catch, distinguish the catch by size category < 9kgs and > 9kgs) otherwise leave blank.	CHAR (2)	LG - Large Fish (>= 9 kgs) SM - Small Fish (< 9 kgs) <blank> - Not applicable Validate that it can only be used for YFT and BET.</blank>	DC	<sp_size></sp_size>	N			
WELL TO	Well number where the catch is moved to. Set catch for this species/size category may be moved to more than one well. (Used for Catch Documentation systems).	CHAR (3)	Valid code DIS - Discard of fish to sea from a well (e.g. due to spoilage) Snn - Starboard well with number = <nn> Pnn - Port well with number = <nn> Cnn - Central well with number = <nn></nn></nn></nn>	TC	<well_to></well_to>	N			
RETAINED WEIGHT	PROVIDE the RETAINED ESTIMATED WEIGHT (metric tonnes, to 3 decimal places if possible) covering this species/size category combination.	DECIMAL(7,3	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DC	<sp_ret_mt></sp_ret_mt>	Y			
RETAINED NUMBER	PROVIDE the RETAINED NUMBER covering this species/size category combination. This is only required for non-target species.	INTEGER(6)	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DC	<sp_ret_no></sp_ret_no>	N			

1.8 PS DISCARD DATA

			PS_DISCARD			
FIELD	Data Collection Instructions	VIDE informati Field format notes	on on each species catch DISCARDED from a SET Validation rules	NAF CODE	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>	
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY		Link to ACTIVITY (SET)		<activity_id></activity_id>	
SET IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF SET		Link to PS_SET		<ps_set_id></ps_set_id>	
SPECIES CODE	For each species taken in the set and DISCARDED, PROVIDE the SPECIES CODE according to the FAO standard species code list	CHAR(3)	REFER TO APPENDIX 7.	DI	<sp_code></sp_code>	Y
DISCARDED WEIGHT	PROVIDE the DISCARDED ESTIMATED WEIGHT (metric tonnes, to 3 decimal places if possible) covering this species.	DECIMAL(7,3)	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DI	<sp_disc_mt></sp_disc_mt>	Y
DISCARDED NUMBER	PROVIDE the DISCARDED NUMBER, where appropriate.	INTEGER(6)	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DI	<sp_disc_no></sp_disc_no>	Y
REASON FOR DISCARD	PROVIDE the reason for the DISCARD.	INTEGER(1)	REFER TO APPENDIX 8.	DI	<disc_rea_id></disc_rea_id>	Y
REASON FOR DISCARD NOTE	PROVIDE information of the REASON FOR DISCARD in cases where the code is not covered in the list of Reason codes 1. To 4.	VARCHAR (30)	Used only when the REASON FOR DISCARD = 5	DI	<disc_note></disc_note>	Y


1.9 PS WELL TRANSFER DATA

			WELL_TRANSFER			
FIELD	Data Collection Instructions	Field format	ER or NET-to-WELL TRANSFER when the relevant ACTIVITIES are Validation rules	NAF CODE	XML TAG	WCPFC FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>	
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY		Link to ACTIVITY (SET or WELL TRANSFER)		<activity_id></activity_id>	
WELL FROM	Well number or the NET (in the case of a set) where the catch is coming from.	CHAR (3)	Valid code Snn - Starboard well with number = <nn> Pnn - Port well with number = <nn> Cnn - Central well with number = <nn></nn></nn></nn>	TC	<well_from></well_from>	N
WELL TO	Well number where the catch is moved to. Note that this includes DISCARDs of fish from the well.	CHAR (3)	Valid code DIS - Discard of fish to sea from a well (e.g. due to spoilage) Snn - Starboard well with number = <nn> Pnn - Port well with number = <nn> Cnn - Central well with number = <nn></nn></nn></nn>	TC	<well_to></well_to>	И
SPECIES CODE	For each species catch transferred, PROVIDE the SPECIES CODE according to the FAO standard species code list	CHAR (3) UPPER CASE	REFER TO APPENDIX 7.	TC	<sp_code_well></sp_code_well>	N
SIZE CATEGORY	For Yellowfin (YFT) and Bigeye tuna (BET) transferred catch, distinguish the catch by size category < 9kgs and > 9kgs) otherwise leave blank.	CHAR (2)	LG - Large Fish (>= 9 kgs) SM - Small Fish (< 9 kgs) <blank> - Not applicable Validate that it can only be used for YFT and BET.</blank>	DC	<sp_well_size></sp_well_size>	N
WEIGHT TRANSERRED	PROVIDE the WEIGHT (metric tonnes, to 3 decimal places if possible) of the species transferred.	DECIMAL(6,3)		TC	<sp_well_mt></sp_well_mt>	N

2. LONGLINE LOGBOOK E-REPORTING STANDARDS

2.1 DATA MODEL DIAGRAM

The following basic data model diagram outlines the structure of the entities and their relationships for longline operational logsheet data collected by E-Reporting systems and submitted to national and regional fisheries authorities. The tables that follow provide more information on the mechanisms of the links (relationships) between the entities.



2.2 LONGLINE TRIP-LEVEL DATA

LL TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPF C FIEL
						D
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL IDENTIFIER + DEPARTURE DATE				<trip_id></trip_id>	
VESSEL IDENIFIER			REFER TO APPENDIX A4			
COUNTRY OF CHARTER	PROVIDE the Country responsible for chartering the vessel, where relevant. This only applies if the vessel has been chartered according to the requirements under WCFPC CMM 2012-05 - chartering notifications.	CHAR(2) ISO 3166-1 alpha-2 two- letter country code UPPER CASE	ISO 3166-1 alpha-2 two-letter country code This field must be completed if it has been listed as a chartered vessel on the WCPFC web site according to the requirements under WCFPC CMM 2012-05 - chartering notifications.	CS	<charter></charter>	Y
AGENT FOR UNLOADING	PROVIDE the name of the Agent for the Unloading	CHAR (50)	Where possible, link this field to a reference table of authorised Agents for unloading. (referential integrity)	AN	<agent></agent>	N
TRIP NUMBER	PROVIDE the trip number undertaken by this vessel for the year. Trip number is sequential, starting at 1 for first trip of the year for each vessel.	INTEGER(2)		TN	<tripno></tripno>	N
PRIMARY TARGET SPECIES	PROVIDE the Primary Target species for this trip	CHAR (3)	REFER TO APPENDIX A7	DC	<pre><sp_code_targe t=""></sp_code_targe></pre>	N
PORT OF DEPARTURE	PROVIDE the Port of Departure	CHAR (5) UN/LOCODE UPPERCASE	REFER TO APPENDIX A3	PE	<portdepart></portdepart>	Y
PLACE OF UNLOADING / TRANSHIPPMENT AT SEA	PROVIDE the Port of Return for Unloading or indicate TRANSHIPMENT AT SEA	CHAR (5) UN/LOCODE UPPERCASE	REFER TO APPENDIX A3	PO	<portunload></portunload>	Y

LL TRIP

"The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention)."

FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPF C FIEL D
DATE and TIME OF DEPARTURE	PROVIDE the GMT/UTC DATE and TIME of departure for this trip	REFER TO APPENDIX A1	REFER TO APPENDIX A1	SD ST	<datedepart></datedepart>	Y
DATE AND TIME OF ARRIVAL IN PORT / TRANSHIPMENT AT SEA	PROVIDE the GMT/UTC DATE and TIME of arrival back in port for this trip or indicate DATE for the TRANSHIPMENT AT SEA		REFER TO APPENDIX A1	ED ET	<datearrival></datearrival>	Y

2.3 LICENSE/PERMIT DATA

	PROVIDE each LICENSE/	PERMIT that	LICENSE the vessel holds for the period of the trip.			
FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPF C FIEL D
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE				<trip_id></trip_id>	
FISHING PERMIT/LICENSE NUMBERS	PROVIDE License/Permit number that the vessel holds for the period of the TRIP.	CHAR (40) UPPER CASE	Where possible, include validation to ensure the Permit format relevant to the agreement (national or subregional) complies to the required format.	LC	<license_no></license_no>	N

2.4 LL ACTIVITY/SET DATA

LL ACTIVITY

PROVIDE the following information on EACH FISHING SET; if there was no fishing set on that day, provide information on the MAIN ACTIVITY

FOR THAT DAY AT SEA

FOR THAT DAY AT SEA									
FIELD	Data Collection Instructions	Field format notes	Validation rules	NAF CODE	XML TAG	WCPFC FIELD			
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>				
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY				<activity_id></activity_id>				
ACTIVITY DATE/TIME	PROVIDE the NOON DATE/TIME for each day that the vessel is at sea when a set was not made on that day, OR the START DATE/TIME of the SET	REFER TO APPENDIX A1	Expect to be automatically integrated/generated with GPS DEVICE	DA	<act_date></act_date>	Y			
ACTIVITY	PROVIDE the ACTIVITY CODE	NUMBER(2)	REFER TO APPENDIX A5	AT	<l_act_id></l_act_id>	Y			
LATITUDE	PROVIDE the LATITUDE position when the ACTIVITY started	REFER TO APPENDIX A2	Expect to be automatically integrated/generated with GPS DEVICE Check of position relative to previous position and whether it is realistic to have travelled that distance in the allotted time.	LT	<lat> <lath></lath></lat>	Y			
LONGITUDE	PROVIDE the LONGITUDE position when the ACTIVITY started	REFER TO APPENDIX A2	Expect to be automatically integrated/generated with GPS DEVICE Check of position relative to previous position and whether it is realistic to have travelled that distance in the allotted time.	LG	<lon> <lonh></lonh></lon>	Y			
HOOKS BETWEEN FLOATS	PROVIDE the HOOKS BETWEEN FLOATS (synonymous to BRANCHLINES between FLOATS) for this set	NUMBER (2)	The code must be within the valid range. Only relevant with ACTIVITY = "1 - FISHING SET"	SA	<hk_btwn_flt></hk_btwn_flt>	Y			
HOOKS	PROVIDE the total number of HOOKs set	NUMBER(4)	The code must be within the valid range (e.g. < 5,000 hooks). Only relevant with ACTIVITY = "1 - FISHING SET"	SA	<h00ks></h00ks>	Y			

2.5 LL CATCH DATA

	LL_CATCH					
PROVIDE information on each species catch from a SET FIELD Data Collection Field format Validation rules NAF XML TAG WCPFC						
FIELD	Instructions	notes	validation rules	CODE	AML TAG	FIELD
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE		Link to TRIP information		<trip_id></trip_id>	
ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY		Link to ACTIVITY (SET)		<activity_id></activity_id>	
SPECIES CODE	For each species taken in the set, PROVIDE the SPECIES CODE according to the FAO standard species code list	CHAR(3) UPPER CASE	REFER TO APPENDIX 8.	DC	<sp_code_ret></sp_code_ret>	Y
RETAINED NUMBER	PROVIDE the NUMBER OF RETAINED FISH covering this species.	INTEGER (6)	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DC	<sp_ret_no></sp_ret_no>	Y
RETAINED WEIGHT	PROVIDE the RETAINED ESTIMATED WEIGHT (metric tonnes to three decimal places) for this species.	DECIMAL(6,3)	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DC	<sp_ret_mt></sp_ret_mt>	Y
DISCARDED / RELEASED NUMBER	PROVIDE the NUMBER of this species DISCARDED or RELEASED.	INTEGER (6)	Validate that it is within the acceptable range for this species. (Refer to the SPECIES_RANGE table provided)	DC	<sp_ret_no></sp_ret_no>	Y

APPENDICES

APPENDIX A1 - DATE/TIME FORMAT

The DATE/TIME formats must adhere to the following standard:

ISO 8601 - Dates and times format – both local and UTC dates

[YYYY]-[MM]-[DD]T[HH]:[MM]Z for fields designated as UTC date/time

[YYYY]-[MM]-[DD]T[HH]:[MM] for fields designated as LOCAL date/time

APPENDIX A2 - POSITION/COORDINATE FORMAT

The Latitude and Longitude coordinates must adhere to the ISO 6709 – Positions Degrees and minutes to 3 decimal places

LATITUDE +/- DDMM.MMM LONGITUDE +/- DDDMM.MMM

APPENDIX A3 - PORT LOCATION CODES

The PORT LOCATION Codes must adhere to the UN/LOCODE standard UPPERCASE CHAR(5) United Nations - Code for Trade and Transport Locations (UN/LOCODE) – see http://www.unece.org/cefact/locode/service/location

APPENDIX A4 - VESSEL IDENTIFICATION

The attributes to be provided for the VESSEL needs to be consistent with several VESSEL registers at the global and regional level. The most important are the proposed IMO/UVI standard vessel identifier (UVI), the WCPFC vessel register and the FFA Vessel register.

FIELD	Data Collection Instructions	Field format notes	Validation rules	XML TAG	WCPFC FIELD
VESSEL NAME		CHAR(30) UPPER CASE	Must be consistent with the WCPFC and FFA Vessel Registers	<vesselname></vesselname>	Y
COUNTRY OF VESSEL REGISTRATION		CHAR(2) ISO 3166-1 alpha-2 two-letter country code UPPER CASE	ISO 3166-1 alpha-2 two-letter country code Must be consistent with the WCPFC and FFA Vessel Registers Country of registration is distinct from the chartering nation, where relevant	<countryreg></countryreg>	Y
VESSEL REGISTRATION NUMBER	PROVIDE the VESSEL attributes which should be consistent with the	CHAR (20) UPPER CASE	Must be consistent with the WCPFC and FFA Vessel Registers	<regno></regno>	Y
FFA VESSEL REGISTER NUMBER	attributes stored in the WCPFC and FFA Regional Vessel Registers	INTEGER (5)	Must be consistent with the FFA Vessel Register	<ffavid></ffavid>	N
WCPFC RFV VID		INTEGER(10)	Must be consistent with the WCPFC RFV	<win></win>	Y
UNIVERSAL VESSEL IDENTIFIER (UVI)		INTEGER (10)	Must be consistent with the WCPFC and FFA Vessel Registers	<imo_uvi></imo_uvi>	N
VESSEL INTERNATIONAL CALLSIGN		CHAR(10) UPPER CASE	Must be consistent with the WCPFC and FFA Vessel Registers	<ircs></ircs>	Y

APPENDIX A5 - PURSE SEINE OBSERVER ACTIVITY CODES

S_ACTIV_ID	Description	PURSE SEINE LOGSHEET	LONGLINE LOGSHEET	PURSE SEINE OBSERVER
1	Set	Υ	Υ	Υ
2	Searching	Υ	N	Υ
3	Transit	Υ	Υ	Υ
4	No fishing - Breakdown	Υ	Υ	Υ
5	No fishing - Bad weather	Υ	Υ	Υ
6	In port - please specify	Υ	Υ	Υ
7	Net cleaning set	Υ	N	Υ
8	Investigate free school	Υ	N	Υ
9	Investigate floating object	Υ	N	Υ
10	Deploy - raft, FAD or payao	Υ	N	Υ
11	Retrieve - raft, FAD or payao	Υ	N	Υ
12	No fishing - Drifting at day's end	N	N	Υ
13	No fishing - Drifting with floating object	N	N	Υ
14	No fishing - Other reason (specify)	N	N	Υ
15	Drifting -With fish aggregating lights	N	N	Υ
16	Retrieve radio buoy	N	N	Υ
17	Deploy radio buoy	N	N	Υ
18	Transhipping or bunkering	N	Υ	Υ
19	Servicing FAD or floating object	Υ	N	Υ
20	Helicoptor takes off to search	N	N	Υ
21	Helicopter returned from search	N	N	Υ

APPENDIX A6 - PURSE SEINE TUNA SCHOOL ASSOCIATION CODES

S_ACTIV_ID	Description	SCHOOL TYPE CATEGORY
1	Unassociated (free school)	UNASSOCIATED
2	Feeding on Baitfish (free school)	UNASSOCIATED
3	Drifting log, debris or dead animal	ASSOCIATED
4	Drifting raft, FAD or payao	ASSOCIATED
5	Anchored raft, FAD or payao	ASSOCIATED
6	Live whale	ASSOCIATED
7	Live whale shark	ASSOCIATED
8	Other (please specify)	
9	No tuna associated	_

APPENDIX A7 – SPECIES CODES

Refer to the FAO three-letter species codes:

http://www.fao.org/fishery/collection/asfis/en

APPENDIX A8 - PURSE SEINE REASON FOR DISCARD

REASON CODE	Description		
1	FISH DAMAGED / UNFIT FOR CONSUMPTION		
2	VESSEL FULLY LOADED		
3	GEAR FAILURE		
4	NON-TARGET SPECIES		
5	OTHER REASON (SPECIFY)		



Attachment 4. Electronic Formatting Specifications for observer data and logbook data

These specifications describe the electronic files that CCMs must provide if they choose to choose to use electronic reporting technologies to meet the following WCPFC reporting requirements:

- i. Paragraph 3 and Annex 1 of Scientific Data to be Provided to the Commission;
- ii. WCPFC ROP Minimum Standard Data Fields, as amended by WCPFC11 decisions.

A) File type

The information must be provided in one of the following formats:

Microsoft Excel file; Comma separated values (CSV) text file; Text file (TAB delimited); text file (no delimiters) XML

B) File name

The name of the file must be: XX_DDD_VID_DEPDATE_<Table_Name>.EXT

- **XX** two letter ISO country code (CMM 2014-03 Att 7) of the CCM providing the file
- **DDD** type of report (LOG logbook e-data and OBS Observers e-data)
- **VID** five digit integer assigned number for a vessels record on the WCPFC Record of Fishing Vessels (RFV) (CMM 2014-03)
- **DEPDATE** Departure date of the Vessel trip (format YYYYMMDD)
- **<Table_Name>** Respective (subset data) table name within this data type (refer to the relevant list of tables in the E-Reporting LOGSHEET and OBSERVER data field standards)
- **EXT** the standard file extension (according to one of the five available formats)
 - XML
 - TXT file COMMA delimited (CSV)
 - TXT file TAB delimited
 - TXT file No delimiters
 - XLS

Example: FM OBS 35641 20140214 PS CATCH.CSV

Represents a comma-delimited file provided by Federated States of Micronesia for an observer trip on-board the vessel identified with WCPFC RFV id as '35641' with a departure date of 14/03/2014; This file is the subset data for this trip corresponding to the PS_CATCH Table in the ER Observer data standards document

C) File content and structure

Each record in the electronic file represents a single report. Each record must have the structure specified in Attachment 3A or 3B, including the same sequence of fields. Sample electronic reporting files with the proper formats are available from the Secretariat.



WCPFC ER and EM WG1 Nadi, 8-10 July 2015

Agenda Item 2: Review of information/updates on applications of ER and EM technologies in WCPO

2.3: Report from Subregional Agencies: SPC



Update on E-Reporting (vessels)

- 2 longline vessels using eTUNALOG in NC
- 3 longline vessels using eTUNALOG in CK
- · Plans to conduct trials in VU, FJ, FM and FP
- PS vessels still using eTUNALOG (mostly US Treaty vessels)




eTUNALOG for LL Vessels



- Front end: Smart PDF. Back end: XML
- Ability to import into TUFMAN and TUFMAN 2
- Plans to release v1.4 with more detailed summary page







How to download eTUNALOG

- Google search: type in eTUNALOG
- Click on the first page that is listed
- http://www.spc.int/oceanfish/en/ofpsection/datamanagement/spc-members/e-reporting/379-etunalogsmart-pdf-manager
- Click on 'Download eTUNALOG' blue button



Update on E-Reporting (observers)

- Since 2013, 10 observers trained in ER using TUBS
- 5 laptops equipped with TUBS
- 22 debriefed trips received at SPC
- · Consider Electronic Journal and Trip Report writing





Update on E-Reporting Officers

- MH (September 2014)
 - Coordinating TUBS trials, eTUNALOG trials (LL and PS)
 - Coordinating FIMS trials (observers)
- CK (February 2015)
 - Coordinating LL eTUNALOG trials
- FM (April 2015)
 - Coordinating TUBS trials
 - Coordinating FIMS trials (observers)



Update on E-Monitoring

- 2014: Two vessel trial in SB
 - In process of conducting comparative analysis between EM and on-board observer data
- 2015: Single vessel trial launched in NC
- Plan: Review of EM technology offered by technical service providers



Electronic Monitoring: New Caledonia



Project partners



- Direction des Affaires Maritimes de la Nouvelle-Calédonie service de la pêche et de l'environnement marin (DAM-SPE)
- Secretariat of the Pacific Community Oceanic Fisheries Programme (SPC-OFP)
- L'ADECAL Technopôle
- Fishing company BABY BLUE
- EM technical service provider SATLINK

Project objectives



- To determine whether EM can be used to accurately observe the effort and catch activities, after the trip has been completed.
- Provide data that can be used in the same way as those collected by on-board observers.
- The project will run for one year. EM equipment could potentially be fitted onboard other vessels in New Caledonia if results are satisfactory.
- This project will also serve as a lesson learned for other member countries that would like to increase their longline observer coverage.

EM equipment



- VMS antennae
- Central unit with 4 hard drives and screen to relay videos











Cameras views Cameras views Cameras views Cam 3: Processing area





Observer will be able to identify bait species and count amount used. Shooter speed can be determined using specialised software.



Precise fish size measurements will be achievable from this camera angle



Project schedule




- July 2015:
 - EM equipment installed on vessel and office observer trained
- February 2016:
 - Audit from Satlink on data analysis centre
- April 2016:
 - Begin writing final report
- July 2016:
 - End of pilot project
- August 2016:
 - Report to stakeholders and decision makers

Project management



- A steering committee including representatives from each party will maintain weekly communications and will meet every two months.
- Two project coordinators (DAM and SPC) will meet every two weeks with the office observer to plan and supervise EM data analysis.





Thank you



For further information please contact: .

 Mr Malo Hosken, Regional E-Reporting Coordinator for the Oceanic Fisheries Programme at SPC. E-mail: maloh@spc.int – Tel: 26 20 00